

INDEX OF AUTHORS

- Acheson, G. H., 520
Albers, F. H., 801
Allen, E. V., 131
Aviado, D. M., Jr., 666
Axelrod, D. R., 82

Beck, D. F., 489
Biggs, M. W., 359
Bine, R., Jr., 367, 661, 853
Bland, C., 367
Blumgart, H. L., 222
Bonjer, F. H., 415
Borun, R., 106
Braunstein, J. R., 408
Brew, E. M., 925
Brofman, B. L., 572, 817
Brown, B. B., 529
Brown, H. B., 681
Burchell, H. B., 161, 411
Burke, E. C., 411
Byers, S. O., 367, 853

Capps, J. N., 82
Catheart, R. T., 688
Chesky, K., 402
Christensen, E. N., 515
Colman, D., 359
Contro, S., 250
Corcoran, A. C., 286
Cournand, A., 688

Daines, M. C., 874
Dammann, J. F., Jr., 110
Davis, C. C., 902
DeGrandpré, R., 373
Demming, J., 16, 262
Dirken, M. N. J., 415
Dornhorst, A. C., 553
Dotter, C. T., 762

Eckstein, R. W., 16, 262
Edeiken, J., 267
Edwards, J. E., 1, 7, 727, 825
Eleff, M., 16, 262
Essex, H. E., 161
Evans, J. M., 925

Falk, M. S., 267
Feil, H., 817
Ferrer, I., 688
Ford, W. T., 267
Fowler, N. O., Jr., 125, 888
Freed, S. C., 371
Freedberg, A. S., 222
Friedman, M., 367, 661, 851, 853
Froio, G. F., 321

George, R. S., 103
Gigee, W., 373
Glaser, R. J., 30
Glenn, F., 762
Glover, R. P., 321
Gobel, W. K., 520
Gofman, J. W., 359
Goldberg, H. P., 762
Goldman, M. L., 30
Goldstein, W., 250
Goodale, W. T., 63
Gordon, A. J., 106
Green, D. M., 919

Green, H. D., 520, 902
Greene, C. W., 868
Greene, D. G., 868
Gregory, J. E., 321

Haelig, A. W., 549
Hallinger, L., 193
Haring, O. M., 250
Harrison, T. R., 911
Harvey, R. M., 688
Hecht, H. H., 172, 874
Herwitz, G., 408
Hess, E., 888
Hines, E. A., Jr., 727
Howard, P., 553
Howard, R. M., 352
Humphreys, R. J., 373
Hyde, G., 359

Imperialli, A., 193
Ivy, A. C., 90

Janton, O. H., 321
Johnston, F. D., 21
Jones, H. B., 359
Jones, R. J., 389
Jordan, R. A., 1, 7

Katz, L. N., 276, 858
Kay, C. F., 74
Kearns, W. M., Jr., 593
Keith, J. F., Jr., 902
Keys, A., 749
King, F. H., 106
Kirklin, J. W., 411
Kissane, R. W., 421
Krayner, O., 212
Kritevsky, D., 359
Kuo, P. T., 74

Lasser, R. P., 106
Learned, B., 919
Leatham, E., 103
Leathart, G. L., 553
Lepeschkin, E., 378
Levine, H. D., 538
Lewis, C. S., Jr., 874
Lown, B., 538
Lindgren, F. T., 359
Lusk, J. A., 911
Lynn, R. B., 559, 894
Lyon, T. P., 359

McFee, R., 21
McGuire, J., 125, 408
MacIntyre, W. J., 572
Makous, N., 373
Mandelbaum, H., 578
Mandelbaum, R. A., 578
Master, A. M., 402
Meilman, E., 212
Miller, G., 41
Miller, H., 238
Miller, R. D., 1, 7
Mills, S. D., 411
Moon, H. D., 481
Moore, D. J., 572
Moore, M. J., 520
Moser, M., 402

Moses, C., 103
Mueller, R. P., 894

Nathanson, M. H., 238
Norman, L. R., 832

O'Connor, W. R., 515
O'Neill, T. J. E., 321

Page, I. H., 286, 681
Painter, R. C., 727
Parker, R. L., 1, 7
Paterson, J. C., 732
Perera, G. A., 549
Pecoli, A. J., 868
Pick, A., 41
Pick, R., 276, 858
Pickering, G. W., 599
Pitts, R. F., 82
Pordy, L., 402
Preston, F. W., 515
Prince, T. C., 520
Pritchard, W. H., 572
Proudfit, W. L., 245
Pruitt, R. D., 161
Pugh, D. G., 411

Raab, W., 373
Redisch, W., 352, 862
Rhodes, G. L., 103
Richards, D. W., Jr., 688
Rinehart, J. F., 481
Roback, G. S., 90
Rodbard, S., 276, 858
Rosecan, M., 30
Rosenman, R. H., 371
Rosenthal, R. L., 257
Rusted, I. E., 825

St. George, S., 367, 371, 661, 851, 853
Samuels, A. J., 874
Sancetta, S. M., 559, 894
Saphir, O., 843
Sarnoff, L. C., 51, 63
Sarnoff, S. J., 51, 63
Scarrone, L. A., 489
Schack, J. A., 586
Scheffley, C. H., 825
Schlesinger, M. J., 334
Schmidt, C. F., 666
Schmidt, W. C., 572
Schnabel, T. G., Jr., 74
Schwartz, S. P., 193
Scott, R. C., 125, 888
Scott, R. W., 559
Seiwert, V. J., 125
Sell, C. G. R., 110
Sheckman, E., 862
Shepherd, J. T., 281
Simeone, F. A., 559
Simonson, E., 201, 749
Smedal, M. I., 711
Smith, G., 16, 262
Snellen, H. A., 801
Soffer, A., 183
Soloff, L. A., 96
Sornberger, C. F., 711
Stamler, J., 276, 858
Starr, I., 643

INDEX OF AUTHORS

- Acheson, G. H., 520
Albers, F. H., 801
Allen, E. V., 131
Aviado, D. M., Jr., 666
Axelrod, D. R., 82

Beck, D. F., 489
Biggs, M. W., 359
Bine, R., Jr., 367, 661, 853
Bland, C., 367
Blumgart, H. L., 222
Bonjer, F. H., 415
Borun, R., 106
Braunstein, J. R., 408
Brew, E. M., 925
Brofman, B. L., 572, 817
Brown, B. B., 529
Brown, H. B., 681
Burchell, H. B., 161, 411
Burke, E. C., 411
Byers, S. O., 367, 853

Capps, J. N., 82
Cathcart, R. T., 688
Chesky, K., 402
Christensen, E. N., 515
Colman, D., 359
Contro, S., 250
Corcoran, A. C., 286
Cournand, A., 688

Daines, M. C., 874
Dammann, J. F., Jr., 110
Davis, C. C., 902
DeGrandpré, R., 373
Demming, J., 16, 262
Dirken, M. N. J., 415
Dornhorst, A. C., 553
Dotter, C. T., 762

Eckstein, R. W., 16, 262
Edeiken, J., 267
Edwards, J. E., 1, 7, 727, 825
Eleff, M., 16, 262
Essex, H. E., 161
Evans, J. M., 925

Falk, M. S., 267
Feil, H., 817
Ferrer, I., 688
Ford, W. T., 267
Fowler, N. O., Jr., 125, 888
Freed, S. C., 371
Freedberg, A. S., 222
Friedman, M., 367, 661, 851, 853
Froio, G. F., 321

George, R. S., 103
Gigee, W., 373
Glaser, R. J., 30
Glenn, F., 762
Glover, R. P., 321
Gobel, W. K., 520
Gofman, J. W., 359
Goldberg, H. P., 762
Goldman, M. L., 30
Goldstein, W., 250
Goodale, W. T., 63
Gordon, A. J., 106
Green, D. M., 919

Green, H. D., 520, 902
Greene, C. W., 868
Greene, D. G., 868
Gregory, J. E., 321

Haelig, A. W., 549
Hallinger, L., 193
Haring, O. M., 250
Harrison, T. R., 911
Harvey, R. M., 688
Hecht, H. H., 172, 874
Herwitz, G., 408
Hess, E., 888
Hines, E. A., Jr., 727
Howard, P., 553
Howard, R. M., 352
Humphreys, R. J., 373
Hyde, G., 359

Imperialli, A., 193
Ivy, A. C., 90

Janton, O. H., 321
Johnston, F. D., 21
Jones, H. B., 359
Jones, R. J., 389
Jordan, R. A., 1, 7

Katz, L. N., 276, 858
Kay, C. F., 74
Kearns, W. M., Jr., 593
Keith, J. F., Jr., 902
Keys, A., 749
King, F. H., 106
Kirklin, J. W., 411
Kissane, R. W., 421
Krayner, O., 212
Kritchevsky, D., 359
Kuo, P. T., 74

Lasser, R. P., 106
Learned, B., 919
Leatham, E., 103
Leathart, G. L., 553
Lepeschkin, E., 378
Levine, H. D., 538
Lewis, C. S., Jr., 874
Lown, B., 538
Lindgren, F. T., 359
Lusk, J. A., 911
Lynn, R. B., 559, 894
Lyon, T. P., 359

McFee, R., 21
McGuire, J., 125, 408
MacIntyre, W. J., 572
Makous, N., 373
Mandelbaum, H., 578
Mandelbaum, R. A., 578
Master, A. M., 402
Meilman, E., 212
Miller, G., 41
Miller, H., 238
Miller, R. D., 1, 7
Mills, S. D., 411
Moon, H. D., 481
Moore, D. J., 572
Moore, M. J., 520
Moser, M., 402

Moses, C., 103
Mueller, R. P., 894

Nathanson, M. H., 238
Norman, L. R., 832

O'Connor, W. R., 515
O'Neill, T. J. E., 321

Page, I. H., 286, 681
Painter, R. C., 727
Parker, R. L., 1, 7
Paterson, J. C., 732
Perera, G. A., 549
Piccoli, A. J., 868
Pick, A., 41
Pick, R., 276, 858
Pickering, G. W., 599
Pitts, R. F., 82
Pordy, L., 402
Preston, F. W., 515
Prince, T. C., 520
Pritchard, W. H., 572
Proudfit, W. L., 245
Pruitt, R. D., 161
Pugh, D. G., 411

Raab, W., 373
Redisch, W., 352, 862
Rhodes, G. L., 103
Richards, D. W., Jr., 688
Rinehart, J. F., 481
Roback, G. S., 90
Rodbard, S., 276, 858
Rosecan, M., 30
Rosenman, R. H., 371
Rosenthal, R. L., 257
Rusted, I. E., 825

St. George, S., 367, 371, 661, 851, 853
Samuels, A. J., 874
Sancetta, S. M., 559, 894
Saphir, O., 843
Sarnoff, L. C., 51, 63
Sarnoff, S. J., 51, 63
Scarrone, L. A., 489
Schack, J. A., 586
Scheffley, C. H., 825
Schlesinger, M. J., 334
Schmidt, C. F., 666
Schmidt, W. C., 572
Schnabel, T. G., Jr., 74
Schwartz, S. P., 193
Scott, R. C., 125, 888
Scott, R. W., 559
Seiwert, V. J., 125
Sell, C. G. R., 110
Sheckman, E., 862
Shepherd, J. T., 281
Simeone, F. A., 559
Simonson, E., 201, 749
Smedal, M. I., 711
Smith, G., 16, 262
Snellen, H. A., 801
Soffer, A., 183
Soloff, L. A., 96
Sornberger, C. F., 711
Stamler, J., 276, 858
Starr, I., 643

INDEX OF AUTHORS

ix

Stauffer, H. M., 96
 Steele, J. M., 352, 862
 Steinberg, I., 762
 Stillman, P. H., 352
 Stokes, J. H., 267
 Stow, R. M., 21
 Streeper, R. B., 538
 Surawicz, B., 378

Tannenbaum, O., 586
 Taussig, H. B., 930
 Taymore, R. C., 402
 Texter, E. C., Jr., 352
 Thompson, C. E., 515

van den Berg, J., 415
 van Lingen, B., 740
 Vesell, H., 586
 Viar, W. N., 911

Wald, M. H., 919
 Weaver, J. C., 257
 Wedell, H. G., 919
 Weinberg, S. L., 41
 Wessler, S., 334
 Westcott, R. N., 888
 Whidborne, J., 740
 Whitman, J. F., 245
 Wier, J. A., 868

Wiggins, W. S., 82
 Williams, S. C., 902
 Wolff, L., 768
 Wood, O. H., 925
 Woodbury, L. A., 172
 Wright, I. S., 489

Yu, P. N. G., 183

Zatuchni, J., 96
 Zaus, E. A., 593
 Zoll, P. M., 334, 832

INDEX OF SUBJECTS

(Page numbers in *italics* refer to abstracts)

- Abdomen**, inversion of viscera with levocardia, *943*
- Acetylcholine**, *152, 629*
in ganglionic transmission, 287
- Acidosis**
and plasma potassium, *434*
respiratory, during surgery, *433*
- Aconitine**, auricular arrhythmia due to, 529-37
- ACTH**, 839
and experimental cholesterol atherosclerosis in rabbit, *470*
for rheumatic fever, *442*
- Action potential**, 173-75, 179-80
- Adams-Stokes syndrome**, 242
- Adenomata**, thyroid, and I^{131} , 233
- Adenosine triphosphate**, cardiac, *311*
- Adrenal gland**
in hypertension, 289-90, *441*
steroid from, *478*
- Adrenalectomy**, and blood pressure, *433*
- Adrenaline**, vs. noradrenaline, 287
- Adrenocorticotrophic hormone**.
See ACTH
- Age (of patient)**
and circulation time in over-riding aorta, 108
and coronary atherosclerosis, *471*
and electrocardiography, 749-56, 759-61
and heart position, 752
and hypertension due to unilateral renal disease, 551
and I-J duration, 390
and myocardial infarction, *618*
and phenylindanedione, 517
and Q-I duration, 390, 397
and Q-J duration, 390
and sodium excretion, 922-23
and spontaneous cardiac rupture, 338, 344
and sympathectomy for essential hypertension, 133, 134, 135
in syndrome of orthostatic hypotension, anhidrosis and impotence, 37
- Agranulocytosis**
fatal, due to procaine amide, *628*
and mercurial diuretics, *782*
- Albumin**
iodinated, in determination of cardiac output, 572-76
serum, for cerebral edema after cardiac arrest, 789
- Alcaloid**, ergot, for peripheral vascular disease, *308*
- Alcohol**, as diuretic agent, *438*
- Alkalosis**
hypokalemic, *952*
and plasma potassium, *434*
- Alpha-naphthyl thiourea**, pulmonary edema due to, *783*
- American Heart Association, Inc.**
annual meeting, 318, 445, 639
program of, 450-80
Board of Directors, 318
calendar, 640, 800
"Circulation Research," 316-17, 800, 959
manuscripts, 445
subscription rates, 445
Committee on Ballistocardiography, 447
Committee on Electrocardiography, 447
Council for High Blood Pressure Research, 318
Council on Rheumatic Fever, 319
educational materials, 447
Established Investigatorships, 446
"Facts about Employment and Heart Disease," 960
Fifth Inter-American Cardiological Congress, 959
Fulbright awards, 447
gift from American Trust Co., 159
grants-in-aid, 156-59, 639
Howard W. Blakeslee award, 799
program guide, 319
regional conferences, 319
Registry of Cardiovascular Pathology, 160
research fellowships, 319, 446
rheumatic fever study, 317-18
"Returning Cardiacs to Work," 960
Scientific Council officers, 318
scientific sessions, 445, 639, 960
Second International Congress of Cardiology, 319
Section on Circulation, 319, 960
"These Hands Are Able," 960
training institute, 319
- Aminophylline**, 839
and interarterial coronary anastomosis, 838
- Ammonium chloride**, and mercurhydrin, *306*
- Amphetamine**, and blood coagulation, *941*
- Amplitude**, ballistic, 398-99
- Amputation**
for gangrene, 644
spontaneous, 656
- Amyl nitrate**, 250-55
- Anastomosis**
aortic-pulmonary, in tetralogy of Fallot, *143*
end-to-end, of the aorta, *633*
interarterial coronary, 838, 840
in spontaneous cardiac rupture, 336
- Anemia**
and interarterial coronary anastomosis, 838, 840
in osteitis deformans, 717
- Anesthesia**
general, reflex circulatory responses during, *151*
and Ro2-2222, 71
spinal
hemodynamic changes, 559-70, 894-900
after intracisternal injection of fibrin, 57
peripheral vasodilation due to, 69
in pregnancy, *630*
in surgery for congenital heart disease, *780*
- Aneurysm**
arteriosclerotic popliteal, *473*
arteriovenous, *794*
carotid-cavernous, *958*
of descending aorta, *443*
dissecting
of aorta, *154, 634*
of coronary artery, *627*
intra-cranial, *633*
saccular, simulated, *787*
and syphilitic aortic insufficiency, 271
- Angina**
cardiac, Tromexan for, 506-07
after smoking, *309*
- Angina pectoris**, *144, 226, 250*
and amyl nitrate inhalation, 253
as contraindication to sympathectomy, 137
dioxylone phosphate for, 125-29
of effort, and postextrasystolic T-wave changes, 543
exercise tolerance test in, 128
in hyperthyroidism, 224-25
 I^{131} for, 225-28
IJ amplitude in, 398
after myocardial infarction, 406
papaverine for, 125
and penicillin-treated cardiovascular syphilis, 273
propylthiouracil for, 225
skin temperature in, *144*
and spontaneous cardiac rupture, 339, 345
thiourea derivatives for, 225
thyroidectomy for, 225-26
- Angiocardiography**
in congenital heart disease, *943*
in patent ductus arteriosus, 122
in pericardial effusion, *792*
- Angio-organopathy**, and prothrombin utilization test, *426*
- Angiopulmography**, *632*
- Angiotonase**, tissue, in hypertension, 290
- Angiotonin**, in hypertension, 290
- Anhidrosis**, with impotence and orthostatic hypotension, 30-38
- Anion pattern**, and mercurial diuresis, *944*
- Anoxemia**
and blood pressure, *951*
and cardiac rhythm, *951*
and mental retardation, 940

- Anoxia**, 624, 629
bradycardia after, 310
due to pulmonary arterial occlusion, 296
in pulmonary embolism, 770
in pulmonary emphysema, 433
due to tracheal obstruction, 296
- Antagonism**, antibiotic, 789
- Anthraxis**, khellin for, 306
- Antibiotic**
antagonism, 789
for bacterial endocarditis, 613
for hemorrhagic shock, 953
synergism, 789
- Anticoagulant**
for cardiac infarction, 778
heparin-gelatin-dextrose as, 614
and lumbar block, 426
phenylindanedione, 515-18
prolonged therapy with, 615
for pulmonary embolism, 775
See also Dicumarol; Heparin; Tromexan
- Anticoagulant No. 63**, 778
clinical evaluation of, 142
- Antidiuretic hormone**, secretion of, 435
- Antilipfanogen**, and cholesterol, 477
- Antistine**, electrocardiography after, 620
- ANTU**, pulmonary edema due to, 783
- Anxiety**
as contraindication to sympathectomy, 139
electrocardiography in, 621
norepinephrine in peripheral blood during, 154
- Aorta**
abdominal, 941
coarctation of, 615
insidious thrombosis of, 436
arteriosclerosis of, 466
atherogenesis in, 279
atherosclerotic, 277
effect of gonadectomy on, 476
exogenous cholesterol in, 365
biventricular, 942
blood pressure in, 781
coarctation of, 781, 931
and abdominal aortic pulsation, 941
arterial homograft for, 294
arterioles in, 727-31
constitutional changes in, 143
in infant, 411-14
subclavian artery in, 632, 633
surgery for, 143
after dietary cholesterol, 684
dissecting aneurysm of, 154
diagnosis of, 634
foam-cellular lesion of, 457
5-nucleotidase activity in, 463
occlusion of
thrombotic, 957
and vagotomy, 58
over-riding and circulation time, 106-09
thoracic, end-to-end anastomosis of, 633
transposed, in Taussig-Bing malformation, 936
in transposition of great vessels, 936-37
wall of, in hypertension, 469
- Aortic valve**
homograft, 956
rupture of, nontraumatic, 304
syphilitic insufficiency of, penicillin treated, 269-74
- Aortitis**
bacterial, and coarctation of aorta, 411
syphilitic, 945
death due to, 273-74
penicillin treated, 269
- Aortography**, 623
retrograde, in patent ductus arteriosus, 122
- Apnea**, pressure waves during, 553
- Apoferitin**, 291
- Appendage**, auricular, as myocardial graft, 793
- Arm**, blood pressure variations in the two, 441
- Arrest**, cardiac. See Standstill
- Arrhythmia**, 615
auricular, due to aconitine, 529-37
after commissurotomy for mitral stenosis, 329
in hyperthyroidism, 223-24
procaine amide for, 308
vs. quinidine, 304
sinus, and blood pressure swings, 553
in traumatic heart disease, 423-24
See also Fibrillation; Flutter; Tachycardia
- Arterialization of coronary sinus**, with ligation of circumflex artery, 264
- Arteriography**, translumbar, 793, 956
- Arteriole**
measurement of, in coarctation of aorta, 727-31
necrosis of, in hypertension, 603-06
resistance of, in essential hypertension, 286
- Arteriopathy**, classification of, 480
- Arteriosclerosis**
American Society for the Study of, proceedings of annual meeting, 455-80
aortic, 466
coronary
histogenesis of, 481-88
and myocardial hypertrophy, 429
after total thyroidectomy, 234
dibenamine for, 440
elastic tissue, 788
obliterans, lumbar sympathectomy for, 794
and osteitis deformans, 713-15
of pancreas, in Paget's disease, 715
pulmonary, cor pulmonale due to, 635
- Arteritis**, rheumatic, 303
- Artery**
brachial, pressure in, 561
bronchial
anatomy of, 152
in bronchiectasis, 152
in ligation of pulmonary artery, 152
carotid, 53, 457, 631, 632
circumflex, 262-65
clot in, 303
coronary. See Coronary artery
excised, lipid deposition of, 303
experimental lesion of, 479
femoral, occlusion of, 281-84
homograft, for coarctation of aorta, 294
innominate, 632
intimal thickening of, 788
of limb, presenile medial calcinosis of, 468
nourishment of, 733
obliterative disease of, peripheral neurectomy for pain of, 471
occlusion of
due to atherosclerosis, 12
and congestive heart failure, 11
and intracardiac mural thrombi, 7-14
popliteal, aneurysm of, 473
pulmonary. See Pulmonary artery
renal, 624, 625, 952
retinal, constriction of, 601
spasm of, traumatic, 950
subclavian, 632, 633
vasa vasorum of, 463
- Arthritis**, rheumatoid, 3-hydroxy-2-phenylethylcholinic acid for, 439-40
- Ascites**, with myxedema, 623
- Ascorbic acid**, 955
- Asynchronism**, ventricular, 579
- Atherogenesis**
cholesterol-induced, effect of gonadectomy on, 476
and compound F, 478
coronary, estrogen-induced inhibition of, 474
endocrine influences on, in cholesterol-fed chicks, 460
and induced hypercholesterolemia, 681-86
- Atheroma**, of renal arteries, 952
- Atherosclerosis**
age-conditioned spontaneous regression of in cholesterol-fed chick, 459
of aorta, exogenous cholesterol in, 365
arterial occlusion due to, 12
blood cholesterol in, 473
blood phospholipid in, 473
of carotid arteries, 457
due to cholesterol
effect of ACTH on, 470
effect of cortisone on, 470
prevention of, 459
in rabbit, 464
cholesterol-phospholipid ratio in, 278
coronary
after age 60, 471
in bilaterally oophorectomized women, 461

- Atherosclerosis** (*Cont'd*)
 and coronary artery disease, 732
 and estrogen, 276-79, 460, 558-60
 and gonadectomy, 476
 after low cholesterol-low fat diet, 295
 after oophorectomy, 461
 phospholipid-cholesterol ratio in, 475
 and sex of patient, 278
 in dog, 466
 and giant molecules, 784
 management of, 477
 and plasma heparin, 462
 popliteal aneurysms due to, 473
 prevention of, 477
 in vitro study, 456
- ATP**, cardiac, 311
- Atresia**
 pulmonary, arterial oxygen saturation in, 744
 tricuspid, 935
 congenital, with hypoplasia of right ventricle, 442
- Atrium**
 ballistic waves of, 79
 electrokymography of border of, in mitral regurgitation, 96-101
 left
 myxoma of, 762-67
 thickness of, 828
See also Auricle
- Atropine**
 cardioacceleration due to, 631
 for protoveratrine toxicity, 216
- Aureomycin**
 and anticoagulant, 507-09
 in cholesterol-fed rabbit, 470
 for subacute bacterial endocarditis, 777
- Auricle**, 532
 flutter in, due to aconitine, 529-37
 infarction of, 945
 left
 electrokymogram of, 792
 after intracasternal injection of fibrin, 53
 rhythm of, after procaine amide, 194
 right
 pressure in, after spinal anesthesia, 563, 568
 in pulmonary stenosis, 935
See also Atrium
- Auricular appendage**, as myocardial graft, 793
- Auscultation**
 description in, 790
 in mitral stenosis, 324
 mitral systolic, after commissurotomy for mitral stenosis, 329
- Axis**, left, deviation of, 119
- Azotemia**, as contraindication to sympathectomy, 137
- Bacitracin**
 for bacterial endocarditis, 613
 for staphylococcal endocarditis, 141
- Bacteremia**, staphylococcal, bacitracin for, 141
- Bacteria**, intestinal, vitamin K from, 508
- Bacterial endocarditis**. *See* Endocarditis
- BAL and Mercuhydrin**, 246, 248
- Ballistocardiography**, 942
 abnormal complexes in, 74-80
 in angina pectoris, 299
 in bundle branch block, 578-84
 and cardiac cycle, 586-92
 and cardiac output, 398
 in coronary heart disease, 945
 and electrocardiography, 408-10, 588
 and electrokymography, 588
 and femoral pulse wave, 589
 in a free clinic, 408-10
 in hypertension, 299
 in myocardial infarction, 299, 402-07
 Nickerson, in arteriosclerotic heart disease, 389-400
 in syndrome of orthostatic hypotension, anhidrosis and impotence, 36
- Barbiturate poisoning**, electrocardiography in, 149
- Barometric pressure**, circulatory adjustments to, 153
- Beat**, premature
 and postextrasystolic T-wave changes, 544
 after procaine amide, 194
 ventricular, 187
- Bed**, rocking, 648
- Benadryl**, 307
- Benzedrine**, for syndrome of orthostatic hypotension, anhidrosis and impotence, 36
- Benzodioxane test**, for pheochromocytoma in hypertension, 432
- Bezold reflex system**, 288
- Bing-Taussig malformation**, 936
- Bishydroxycoumarin**, 614, 778
 vs. anticoagulant No. 63, 142
- Bleeding**. *See* Hemorrhage
- Block**
 A-V, 429
 with auricular flutter, 296
 ballistic complexes in, 75
 bundle-branch, 168-69
 ballistocardiography in, 578-84
 and heart disease, 578
 intermittent, 431
 and postextrasystolic T-wave changes, 541-42
 P-R interval in, 171
 right, 429, 430, 620
 transient, 431
 caudal, as vasodilator, 655
 in diphtheritic myocarditis, 785
 epinephrine for, 239-41
 Isuprel for, 239-41
 lumbar, and anticoagulant therapy, 427
 norepinephrine for, 239-41
 procaine relief of pain in, 784
- Blockade**
 ganglionic
 and intracasternal injection of fibrin, 56-57
 by TEAC, 288
- Blocking agent**
 adrenergic, SKF 688A as, 352-58
 autonomic, after intracasternal injection of fibrin, 55
- Blood**
 brachial arterial, oxygen content of, after spinal anesthesia, 563
 cholesterol in, 458
 coagulation of, in myocardial infarction, 257-61
 impedance of, 419
 oxygen saturation of, and osteitis deformans, 716
 peripheral, norepinephrine in, during anxiety, 154
 pulmonary arterial, oxygen content of, after spinal anesthesia, 563
 residual volume of, in right ventricle, 302
 temperature of, after tracheal steam inhalation, 667-68
 urea in, in Mercuhydrin hypersensitivity, 245
 volume of
 in heart disease, 616, 882
 and heart volume, 302
 in hyperthyroidism, 224
 pulmonary, 224, 675
 after pulmonic stenosis operation, 427
 in skin, 631
- Blood pressure**
 and adrenalectomy, 433
 and anoxia, 951
 after amyl nitrate, 252, 253
 and dietary potassium, 433
 and dihydroergocornine, 308
 in esophageal varices, 152
 after fasting, 154
 and hexamethonium bromide, 786
 and nephrectomy, 433
 and potassium, dietary, 371-72
 reflex regulation of, 441
 renal artery, 625
 respiratory variations in, 553-58
 and sodium excretion, 919-23
 after spinal anesthesia, 566
 after sympathectomy for essential hypertension, 136-37
 variations of, in both arms, 441
See also Hypertension; Hypotension; Pressure
- Body**
 and heart shape, 310
 temperature of, in hyperthyroidism, 223
 warming of, for vasodilation, 527
 weight of, and electrocardiography, 749, 756-61
- BOEA**. *See* Tromexan
- Bone**, cardiovascular changes in Paget's disease, 711-22
- Book reviews**
 Bradley, J. H.: Patterns of Sur-

- vival—An Anatomy of Life, 797-98
- McMichael, J.: Pharmacology of the Failing Heart, 315
- Monmaerts, W. F. H. M.: Muscular Contraction, 313
- Page, I. H.: Hypertension, 313
- Prinzmetal, M., Corday, E., Brill, I. C., Oblath, R. W., and Kruger, H. E.: The Auricular Arrhythmias, 796
- Proceedings of the First Conference on Electrocardiography, 314
- Smithwick, R. H.: Surgical Measures in Hypertension, 313
- Ungerleider, H. E., and Gubner, R.: Roentgenology of the Heart and Great Vessels, 796
- Brachial artery**, pressure in, after spinal anesthesia, 561
- Bradycardia**
due to protoveratrine, 216, 218
secondary, after anoxia, 310
after spinal anesthesia, 569
- Brain**
extract of
and blood cholesterol, 458
and serum lipid pattern, 458
infarction of, 12
lesion in, in congenital heart disease, 427
pressor substance in, 291
of rat, digitoxin in, 369
- British anti-lewisite**. See **BAL**
- Bronchial arteries**, 152
anatomy of, 635
- Bronchiectasis**
bronchial arteries in, 152
khellin for, 306
- Buerger's disease**, dibenamine for, 440
- Bufagin**, 437
- Buffer system**, sino-aortic, 288
- Bulbar conjunctiva**, in hypertensive vascular disease, 301
- Bundle branch**, in activation of ventricle, 168-69
- Bundle branch block**, 168-69
ballistocardiography in, 578-84
and heart disease, 578
intermittent, 431
and postextrasystolic T-wave changes, 541-42
P-R interval in, 171
right, 429
electrocardiography in, 620
vectorcardiography in, 430
transient, 431
- Burn**, respiratory, 666-79
- Bursting**, cardiac, 422
- Rutacaine**, in prolongation of heparin action, 778
- C-5068**, 623
- Cabbage**, and cortisone, 955
- Caffeine**, for toxicity of Etamon, 907
- Calcification**
of coronary artery, 144, 145
in osteitis deformans, 714
of mitral valve, 327-28
in osteitis deformans, 714
- Calcinosis**, presenile medial, 468
- Calcium gluconate**, for toxicity of Etamon, 907
- Calf (of leg)**, blood flow through, during occlusion of femoral artery and vein, 281-84
- Capillary**
fragility of, 738
intimal, 733
- Capillary microscope**, 306
- Carbon dioxide**, pulmonary effects of, in isolated dog lung, 152
- Carbon monoxide**, 625
- Carcinomatosis**, 501
- Cardiac arrest**. See **Standstill**
- Cardiac force**, 408
- Cardiac index**, after spinal anesthesia, 561
- Cardiac output**
in acute dehydration, 625
in ballistocardiography, 398
vs. cardiac force, 408
in chronic cor pulmonale, 888-93
determination of, 153
using iodinated serum albumin, 572-76
in hyperthyroidism, 223
after phlebotomy, 69
and polycythemia, 879
and sodium excretion in dog, 153
after spinal anesthesia, 561, 569
in syndrome of orthostatic hypotension, anhidrosis, and impotence, 36
- Cardioacceleration**, due to atropine, 631
- Cardiomegaly**, due to glycogen-storage disease, 626
- Cardiothoracic ratio**, in Paget's disease, 721
- Cardiotracheoscope**, 785
- Cardiovascular disease**
congenital, 943
classification of, 779
hypertensive, 409
and osteitis deformans, 711-22
- Cardiovascular syphilis**, penicillin-treated, 267-75
- Carditis**, rheumatic, leukocyte-platelet thrombosis in, 631
- Carotid artery**
atherosclerosis of, 457
internal, thrombosis of, 631, 632
pressure in, after intracisternal injection of fibrin, 53
- Carotid sinus**
pressure on electrocardiography, 431
and hypertension, 288
in reflex regulation of blood pressure, 441
stimulation of and T-wave changes, 544
- Catecholamine**, adenosympathogenic, 376
- Catheterization**
cardiac
in determining circulation time from right ventricle to ear, 106
disturbances after, 435
in mitral stenosis, 324
intraventricular, 149
and immersion hypothermia in dog, 311
of renal veins, 951
venous pressure during, 786
- Cation**, in aorta wall, in hypertension, 469
- Cation-exchange resin**, 304, 617
for edema, 428
- Cerebrum**
circulation in
and intravenous papaverine, 953
and postural hypotension, 37
lesion in, in congenital heart disease, 427
and myocardial infarction, 619
- Chest**
normal, cardiac potential in, 201-10
in Paget's disease, 716
pain in
after commissurotomy for mitral stenosis, 328
in pulmonary embolism, 770, 773-74
- Chick**
atherosclerosis in
age-conditioned spontaneous regression of, 459
and estrogen, 276-79, 460
cholesterol-fed, 459-60
effect of compound F on atherogenesis in, 478
- Chicken embryo**, atrioventricular conduction in, 170
- Child**
cyanotic, care of, 939
electrocardiographic patterns of, 148
endocardial fibrosis in, 952
- Chill**, due to procaine amide, 629
- Chloride**
excretion, after vasopressin, 435
and posterior pituitary extract, 440
- Chloroform**, and extraction of digitoxin from tissue, 370
- Cholate**, 685-86
- Cholestenone**, 365
- Cholesterol**
and antilippanogen, 477
atherosclerosis due to
effect of ACTH on, 470
effect of cortisone on, 470
in rabbit, 464
in blood, effect of brain extract on, 458
C¹⁴-labeled, 476
and compound F, 478
conversion of
to cholic acid, 365
to coprosterol, 365
to pregnanediol, 365
dietary
and aureomycin, 470
and mortality in coronary atherosclerosis, 295
regression of coronary atherosclerosis after, 858-60
in serum, 364
tritium labeled, 359-66
digitonine precipitation in
Schultz test for, 462

- Cholesterol** (*Cont'd*)
 erythrocytic, 364
 and giant molecules, 784
 hepatic, 364
 synthesis of, 467
 partition of, and heparin, 455
 ratio of, to phospholipid in atherosclerosis, 278-79
 in serum
 in atherosclerosis, 473, 478
 effect of diet on, 458
Cholic acid, formation of, from cholesterol, 365
Choline, for coronary artery disease, 472
Chordae tendineae, 826-28
 rupture of, 422, 423
Chylomicron index, in atherosclerotic state, 478
Circulation
 and barometric pressure, 153
 cerebral
 and intravenous papaverine hydrochloride, 953
 in postural hypotension, 37
 after cold injury, 469
 through calf of leg during occlusion of femoral artery and vein, 281-84
 through hand, effect of smoking on, 301
 hepatic, estimated, 895
 in limbs, 712
 effect of arterial clot on, 303
 in muscular dystrophy, 151
 peripheral, after spinal anesthesia, 565, 567
 and procaine amide, 953
 pulmonary, 791
 and acute hypoxia, 153
 renal, in heart failure, 616
 from right ventricle to ear, in congenital heart disease, 106-09
 and Ronicol, 90-95
 velocity of, in hyperthyroidism, 223
Circumflex artery, ligation of, 262-65
Cirrhosis of the liver
 myocardosis in, 626
 nocturnal diuresis in, 428
Cisterna magna, fibrin injection into, 52-53
Claudication, intermittent, 634
 and amphetamine, 941
 defect of, due to dicumarol, 141
 and emotions, 778
Clotting time
 in dormant estivating mammals, 142
 heparin, in acute myocardial infarction, 257-61
 after Ro2-2222, 71
Clubbing, in tetralogy of Fallot, 934
Coagulation. *See* Clotting
Coarctation of aorta, 781, 931
 and abdominal aortic pulsation, 941
 arterial homograft for, 294
 arterioles in, 727-31
 constitutional changes in, 143
 in infant, 411-14
 with isolated biventricular aorta, 942
 simulating pheochromocytoma, 615
 subclavian artery in, 632, 633
 surgery for, 143
Cockerel, cholesterol-fed, regression of coronary atherosclerosis in, 858-60
Cold
 for obstructive vascular disease, 651
 peripheral injury due to, 469
Commissure, mitral, 829
Commissurotomy, 321-32, 444
Compound A, 309
Compound F, and atherogenesis, 478
Compound S, 309
Compression
 of leg, sodium excretion after, 911-17
 of neck, sodium excretion after, 914, 916
Conduction
 atrioventricular, in chicken embryo, 170
 disturbances of, 615
 retrograde, in ventricular tachycardia, 298
 ventricular, 298
Congestion, nasal, after SKF 688A, 356
Conjunctiva, bulbar, in hypertensive vascular disease, 301
Conner Memorial Lecture, 222-36
Consumption of oxygen, and diuresis, 399
Contour, coronary, 541
 during pregnancy, 103-05
Contraction
 in heart muscle fiber, 791
 isometric, and cardiac ejection, 311
 ventricular, 177-78
Contusion, myocardial, 423-24
Conus, pulmonary, 934
Coprosterol, formation of, from cholesterol, 365
Cor pulmonale, 874-86
 acute, 768-69, 771, 772
 electrocardiography in, 947
 chronic
 cardiac output in, 888-93
 electrocardiography in, 948
 due to pulmonary arteriosclerosis, 635
 subacute nonvascular, electrocardiography in, 622
Coramine, for toxicity of Etamon, 907
Coronary artery
 anatomic pattern of, and cardiac rupture, 335
 arteriosclerotic
 histogenesis of, 481-88
 and myocardial hypertrophy, 429
 atherogenesis, estrogen-induced inhibition of, 276-79, 474
 atherosclerotic, 461, 732
 after age 60, 471
 and estrogen, 276-79, 460, 858-60
 and gonadectomy, 476
 after low cholesterol-low fat diet, 295
 after oophorectomy, 461
 phospholipid-cholesterol ratio in, 475
 and sex of patient, 278
 calcification of, 144, 145
 dilatation of, 255
 due to dioxyline phosphate, 125
 disease of, 619, 732-39
 ballistocardiography in, 946
 heparin for, 479
 Hydregin for, 783
 in pregnancy, 946
 vs. pulmonary embolism, 774
 surgery for, 618
 dissecting aneurysm of, 627
 foam-cellular lesion of, 457
 insufficiency of
 amyl nitrate for, 253
 diagnostic test, 190
 left, abnormal origin of, 780
 nonsclerotic, 482
 occlusion of
 and arterialization of coronary sinus, 16-20
 and cardiac rupture, 335, 342
 and Paget's disease, 714, 720-22
 sclerosis of
 and pulmonary hypertension, 145
 after total thyroidectomy, 234
 spasm of, 734, 839
 thrombosis, 13
Coronary sinus
 arterialization of
 with ligation of circumflex artery, 264
 and mortality after coronary occlusion, 16-20
 for ventricular fibrillation, 265-66
 elevation of sinus pressure, with ligation of circumflex artery, 263-64
 occlusion of, with ligation of circumflex artery, 264-65
Cortex, adrenal, in hypertension, 289
Corticotropin. *See* ACTH
Cortisone, 955
 effect of, on vascular reaction to horse serum, 305
 and experimental cholesterol atherosclerosis in rabbit, 470
 for lupus erythematosus, 630
 for myocardial infarction, 619, 630
 and serum disease, 305
Cothromboplastin, and coagulation defect due to dicumarol, 141
Cough, in pulmonary embolism, 771
Cranium, aneurysm in, 633
Creatinine, and posterior pituitary extract, 440
Curare, prior to intracasternal injection of fibrin, 57
Cushing's syndrome, and hypertension, 289
Cusp, mitral, 829

Cyanosis

- due to cardiac malformation, 933-40
- exertional, with mitral stenosis, 868-73
- severe, 943
- in truncus arteriosus, 937-38
- Cyst, pleuropericardial, 155

DCB, for flutter due to aconitine, 531-32

DEA. *See* Tromexan

DEAE, for flutter due to aconitine, 531-32

Decamethonium, 57

Decompensation, cardiac, adrenocortical function in, 295

Decortication, pulmonary, 794

Defibrillation, electrical, 308

Denervation

- intracisternal, injection of fibrin after, 56
- sinoaortic, 791

Depolarization, 174

of membrane, 173-75

and ventricular contraction, 177

of ventricular fiber, 179

Desiccation, for gangrene, 656

Desoxycholate, 685-86

Desoxycorticosterone acetate

- action of, on frog heart, 790
- hypertension due to, 289, 469
- inhibition of cardiovascular-renal effects of, 309
- pressor action of, effect of sodium on, 373-76

Dextrocardia, without situs inversus, 938

Dextroposition, of aorta, 936

Dextrose, and heparin-gelatin as anticoagulant, 614

DFP, and action potential of frog sciatic nerve, 180

DHO-180, 308

Diabetes mellitus, coronary thrombosis in, 946

Diastole, atrial, electrokymographic curve in, 98

Dibenamine, 440

phenoxethyl derivative of, 352-58

test for pheochromocytoma in hypertension, 432

Dicumarol

vs. anticoagulant No. 63, 142

coagulation defect due to, 141

control of, 614

by heparin tolerance test, 142

hemorrhages due to, 502-06

hypoprotrombinaemia due to, 941

for myocardial infarction

and heparin clotting time, 260

serial clotting studies during, 259

for pulmonary embolism, 775

prolonged therapy with, 615

and spontaneous cardiac rupture, 341

vs. Tromexan, for thromboembolism, 489-513

Diencephalic syndrome, hypertensive, 288

Diet

- and phospholipid-cholesterol ratio in coronary atherosclerosis, 475
- and serum cholesterol, 458

Diethylaminoethanol, for flutter due to aconitine, 531-32

Digitalis

and cardiac hypertrophy, 309

as diuretic agent, 438

electrocardiographic effect of, 172-73, 622

excretion of, 857

in traumatic heart disease, 424

Digitalization, in auricular fibrillation, 944

Digoxin precipitation, in Schultz test, 462

Digoxin

in animal tissue, after parenteral injection, 367-70

chloroform extraction of, 370

hepatic destruction of, 663-65

hepatic excretion of, 661-63

intestinal excretion of, 851-52

and membrane action potential, 174-76

and membrane voltage, 176

and proteroveratrine, 216

renal excretion of, 853-57

thrombopenic purpura after, 630

and ventricular contraction, 178

visual symptoms after, 438

Digoxin

intravenous, in congestive heart failure, 616

and phosphate content of heart, 310

for rheumatic heart disease, 699-702

Dihydroergocornine, 308

Di-isopropyl fluorophosphate, and action potential of frog sciatic nerve, 180

Dilatation

coronary, 255

due to dioxyline phosphate, 125

with finger, in commissurotomy for mitral stenosis, 331

Dilator muscle of iris, after SKF 688A, 357

Dioxyline phosphate, for angina pectoris, 125-29

Discrepancy type, of R-wave, 949

Dissociation, auriculoventricular, procaine, amide for transient ventricular fibrillation during, 193-99

Diuresis, 438

due to angiotonin, 290

due to ephedrine, 440

due to epinephrine, 440

mercurial

and agranulocytosis, 782

electrolytes in, 306

increasing edema during, 944

potentiation of, 944

water excretion due to, 82-88

nocturnal, 428

due to norepinephrine, 440

and oxygen consumption, 399

due to prinine, 440

due to renin, 290

and systolic force, 396

Dog

atherosclerosis in, 466

cardiac output in, 153

digitoxin in, 369

digitoxin destruction in, 664

digitoxin excretion in, 662

excitation in ventricular septum of, 161-71

heart in rewarming from hypothermia, 302

hypothermic, intraventricular catheters in, 311

after intracisternal injection of fibrin, 53

nephrectomized, lesions elicited by renin in, 469

sodium excretion in, 153

reversed, 938

Ductus arteriosus

patent, 930-31

arterial oxygen saturation in, 745

without continuous murmur, 110-23

indentation of esophagus in, 443

and pulmonary hypertension, 938

size of, 121

vs. ventricular septal defect, 115, 120

Duodenum, ulcer of, as contra-

indication to sympathectomy, 140

Dyspnea

asthmatic, 790

after hypothyroidism due to I¹³¹, 228

paroxysmal

in penicillin-treated cardiovascular syphilis, 271, 272

treatment of, 939

pulmonary, 626

in pulmonary embolism, 770-71

Dystrophia myotonica, electro-

cardiography in, 146

Dystrophy, muscular, circulation

in, 151

Ebstein's anomaly of tricuspid

valve

arterial oxygen saturation in, 745-46

diagnosed during life, 779-80

Edema

cation-exchange resins for, 428

cardiac, 782

cerebral, after cardiac arrest, 789

and diuresis, 438

electrolyte metabolism in, 302

pulmonary

acute, 442

due to alpha-naphthyl thio-

urea, 783

detection of, 675-76

in epileptics, 783

after hypothyroidism due to I¹³¹, 228

neurogenic, 51-61

neurohemodynamic, 61

peripheral vasodilation for, 69 70, 72

- Edema** (*Cont'd*)
 in traumatic heart disease, 424
 with salt depletion syndrome, during mercurial diuresis, 944
 thermal, 670-75
Effort, and spontaneous cardiac rupture, 344
Effusion
 interlobar pleural, 144
 pericardial
 angiocardigraphic confirmation of, 792, 793
 after commissurotomy for mitral stenosis, 328
Einthoven triangle, accuracy of, 24
Eisenmenger complex, 936
 arterial oxygen saturation in, 744-46
Ejection, cardiac, and isometric contraction, 311
Electrical field, thoracic, homogeneity of, 948
Electrocardiography
 and age of patient, 749-56, 759-61
 after amyl nitrate inhalation, 250-55
 in aneurysm with syphilitic aortic insufficiency, 271
 after antisthine, 620
 in anxiety, 621
 and ballistic complexes, 75-78, 588
 in barbiturate poisoning, 149
 and body weight, 749, 756-61
 in bundle branch block, 620
 cardiac potential in normal chest, 201-10
 of children, 148, 431
 in cor pulmonale, 947, 948
 subacute nonvascular, 622
 digitalis pattern of, 622
 and dihydroergocornine, 308
 in direct exploration of ventricular septum, 161-71
 in dystrophia myotonica, 146
 emetine hydrochloride in, 297
 esophageal, in congenital anomaly of heart, 294
 during exercise, 183-91
 and fright, 620
 after histamine, 620
 intracavity, of human left ventricle, 149
 left ventricular preponderance, 784
 in neurovegetative imbalance, 148
 newer methods of, 430
 in paroxysmal tachycardia, 145
 in poliomyelitis, 148, 621, 948
 precordial, of rectilinear type, 147
 in pregnancy, 948
 in pulmonary embolism, 772
 and reflex vagal stimulation, 431
 in right ventricular hypertrophy, 146
 in right ventricular strain, 145, 149
 in spontaneous cardiac rupture, 340
 in subendocardial infarction of left ventricle, 299
 in syndrome of orthostatic hypotension, anhidrosis and impotence, 35
 in syphilitic aortic insufficiency, 270
 in syphilitic aortitis, 269
 vector analysis of, 430
Electroencephalogram, in syndrome of orthostatic hypotension, anhidrosis and impotence, 35
Electrokymography
 aortic, 589
 of atrial border, in mitral regurgitation, 96-101
 and ballistocardiography, 588
 of left auricle, 792
 of left ventricle, 792
 and phasic analysis, 792
Electrolyte
 and hypertension, 289
 during mercurial diuresis, 306
 metabolism of, in edema, 302
 myocardial, after epinephrine, 153
 renal regulation, 434
Embolism
 coronary
 and necrotizing renal papillitis, 944
 due to pre-existent thrombosis, 957
 in mitral stenosis, 323
 pulmonary, 768-76
 vs. coronary disease, 774
 fatal, 626
 after venous ligation, 957
 and heparin, 427
 heparin-gelatin-dextrose for, 614
 and myocardial infarction, 11
Embryo, chicken, atrioventricular conduction in, 170
Emetine hydrochloride, electrocardiographic effects of, 297
Emotion, and phospholipid-cholesterol ratio in coronary atherosclerosis, 475
Emphysema
 chronic pulmonary, adaptation to anoxia in, 433
 khellin for, 306
Encephalin, 291
Encephalomyocarditis, 843-49
Encephalopathy, hypertensive, after protoveratrine, 217
Endarteritis, 794
Endocarditis
 bacterial
 acute, 777
 antibiotics for, 141, 613, 777
 subacute, 293, 777, 778
 and cardiovascular stress, 293
 mycotic, 613
 staphylococci, bacitracin for, 141
Endocardium, fibroelastosis of, 627
Endocrine glands, and hypertension, 289-90, 624
Endothelium, pathologic changes of, silver nitrate in demonstration of, 463
Enterococci, biochemical properties, 613
Eosinophil, circulating, after myocardial infarction, 947
Ephedrine
 diuretic effect of, 440
 vasoconstriction due to, 307
 after Ro2-2222, 65
Epinephrine, 629
 and atrioventricular transmission, 628
 and cardiac rhythmicity, 238-45
 diuretic effect of, 440
 electrolyte in myocardium after, 153
 for heart block, 239-41
 isopropyl, 438
 and plasma potassium, 440
 pressor action of, effect of sodium on, 373-76
 and sinus rhythm, 242
 and vascular resistance, 629
 ventricular fibrillation due to, 243
 water in myocardium after, 153
Epistaxis
 due to anticoagulant, 504
 after SKF 688A, 356
Ergot, alkaloid, for peripheral vascular disease, 308
Esophagus
 electrocardiographic lead, 294
 hiatus hernia of, simulating coronary artery disease, 295
 indentation of, in patent ductus arteriosus, 443
 and vascular ring, 931-32
Estivation, clotting time in squirrel during, 142
Estrogen
 and coronary atherosclerosis, 276-79, 460, 474, 858-60
 and serum phospholipid, 478
Etamon, toxicity of, 902-10
Ethyl biscoumacetate, 778
Exchange resin, cation, 304, 428, 617
Excitability-recovery curve, 310
Excitation, in ventricular septum, 161-71
Excretion
 of digitalis, 857
 intestinal, of digitoxin, 851-52
 renal, of digitoxin, 853-57
 of sodium
 and blood pressure, 919-23
 after compression of the legs, 911-17
 after compression of neck, 916
Exercise
 postural, for obstructive vascular disease, 648
 QT interval after, 149
Exercise test, 90, 252, 253
 in angina pectoris, 127, 128
 modified double two-step, electrocardiography in, 183-91
Extracellular fluid, measurement of, 625

- Extremity**, blood flow in, effect of obstructive arterial clot on, 303
 See also Leg; Limb
- Fallot's tetralogy**. See Tetralogy
- Fasting**, blood pressure after, 154
- Fat**
 deposition of, 477
 dietary, and mortality in coronary atherosclerosis, 295
- Feces**, excretion of digitoxin in, 851-52
- Femoral artery**, occlusion of, 281-84
- Femoral vein**, occlusion of, 281-84
- Ferritin**, 291
- Fetus**, and German measles, 939
- Fever**
 due to procaine amide, 629
 in pulmonary embolism, 771
 in spontaneous cardiac rupture, 340
- Fiber**
 of muscle, and direction of excitatory pathways, 169
 myocardial, contraction of, 791
 ventricular, effect of cardiac glycoside on, 172-81
- Fibrillation**
 auricular
 due to aconitine, 530
 with anomalous A-V excitation, 949
 after commissurotomy for mitral stenosis, 329
 digitalization in, 944
 and left ventricular mural thrombi, 4
 in mitral stenosis, 324
 paroxysmal, 771, 774
 presystolic movement in, 99
 procaine amide for, 41-50
 pronestyl for, 41-50
 quinidine for, 306, 627, 790
 in rheumatic heart disease, 706-07
 after SKF 688A, 355
 in traumatic heart disease, 424
 and flutter, 309
 in pulmonary embolism, 771, 774
 ventricular
 surgery for, 444
 arterialization of coronary sinus for, 16, 265-66
 due to epinephrine, 243
 due to norepinephrine, 243
 of reoxygenation, 621
 transient, 193-99
 vulnerability to, 310
- Fibrin**
 intracasternal injection of, 52-53
 and thickening of pulmonary artery, 952
- Fibroelastosis**, endocardial, 627
- Fibrosis**
 endocardial, in infant, 952
 myocardial, and cardiac rupture, 335
- Fick's method**, cardiac output measured by, 153
- Filtration**, glomerular, 625
 in heart disease, 881-83
- Finger**
 response of, to SKF 688A, 357
 temperature of, 864, 866
- Finger dilatation**, in commissurotomy for mitral stenosis, 331
- Fistula**, arteriovenous, 293, 794
 congenital, 634
 with ligation of circumflex artery, 262-63
 and mortality after coronary arterial ligation, 16-20
 multiple, in right lung, 958
 pulmonary, 792
 and venous pressure, 435
- Flatus**, passage of, after Ro2-2222, 66
- Flicker fusion threshold**, 90
 in circulatory effects of roniacol, 94
- Fluid mapper**, for graphic representation of electrocardiographic leads, 21-29
- Fluoroscopy**
 in coronary artery calcification, 144
 in pulmonary embolism, 772
- Flutter**
 due to aconitine, 530
 auricular
 vs. paroxysmal auricular tachycardia, 296
 procaine amide for, 41-50
 pronestyl for, 41-50
 circus-movement, due to aconitine, 529-37
 plus fibrillation, 309
 quinidine for, 627
- Forearm**, circulation in, after sympathectomy, 434
- Forehead**, temperature of, 864, 866
- Friction rub**, pericardial after commissurotomy for mitral stenosis, 329
- Fright**, and electrocardiography, 620
- Frog**
 sciatic nerve of
 and di-isopropyl fluorophosphate, 180
 and eserine, 180
 ventricle of, effect of cardiac glycoside on, 172-81
- Fungus**, endocarditis due to, 613
- Ganglion**
 blockade of
 after intracasternal injection of fibrin, 56-57
 by Ro2-2222, 69
 by TEAC, 288
 removal of, and intracasternal injection of fibrin, 55-56
 superior cervical sympathetic, and hemiparesis, 634
- Gangrene**, 644
 desiccation for, 656
 after heat application, 649
- Gelatin**, and heparin-dextrose as anticoagulant, 614
- Gene**, rheumatic, 955
- German measles**, 939
- Glomerular filtration rate**, 625
- Glomerulonephritis**, and cardiovascular stress, 293
- Glucose**, hypertonic, 302
- Glycocholate**, 685-86
- Glycogen disease**, with cardiomegaly, 626
- Glycoside**, cardiac, and single ventricular fibers of frog, 172-81
- Gonadectomy**, and cholesterol-induced atherogenesis, 476
- Gonadotrophin**, chorionic, and estrogen-induced inhibition of coronary atherogenesis, 474
- Gout**, 3-hydroxy-2-phenylcinchoinic acid for, 439-40
- Gradient**, intra-atrial, 441
- Graft**
 homologous, for coarctation of aorta, 294
 myocardial, auricular appendage as, 793
- Graham Steell murmur**, in mitral stenosis, 326
- Ground squirrel**, clotting time in, 142
- Ground substance**, mucoid, in coronary arteriosclerosis, 484
- G-Strophanthin**, 309
- H³**
 dietary cholesterol labeled with, 359-66
- H wave**, 79-80, 590
 in heart failure, 393, 396, 398
 in myocardial infarction, 404
- Hand**, blood flow through, effect of smoking on, 301
- Headache**
 hypertensive, sympathectomy for, 138
 due to protoveratrine, 217
- Heat**, for obstructive vascular disease, 648
- Heart**
 anomalies of, esophageal leads in, 294
 arrest of. See Standstill
 axis deviation of, in mitral stenosis, 327
 congestive, and left ventricular mural thrombosis, 3, 5
 after dietary cholesterol, 684
 of dog, digitoxin in, 369
 electrical defibrillation of, 308
 in hemochromatosis, 303, 787
 hypertrophy of, 296, 309, 941
 in hyperthyroidism, 224
 and Paget's disease, 714-15, 717-21
 malformations of, 930-40
 mass of, after excess dietary potassium chloride, 153
 mechanical events of, 177
 in myxedema, 234
 phosphocreatine content of, 311
 position of
 and age of patient, 752
 and electrocardiographic patterns, 203-10

Heart (Cont'd)

- potential of, in normal chest, 201-10
 - of rabbit, digitoxin in, 369
 - of rat, digitoxin in, 368
 - rate
 - after amyl nitrate inhalation, 253
 - and dihydroergocornine, 308
 - and exercise, 186, 190
 - and postextrasystolic T-wave changes, 544
 - and posture, 434-35
 - after spinal anesthesia, 561, 569
 - and venoarterial shunting, in congenital heart disease, 108
 - and veratramine, 629
 - rearming of, from hypothermia, 302
 - rupture of, 424
 - spontaneous, 334-47
 - due to trauma, 422
 - size of, 224, 309, 714-15, 717-21
 - in aneurysm with syphilitic aortic insufficiency, 271
 - in rheumatic heart disease, 706
 - in syphilitic aortic insufficiency, 270
 - in syphilitic aortitis, 269
 - and somatotype, 310
 - sounds
 - diastolic, 954
 - first, 790, 954
 - in patent ductus arteriosus, 115
 - and the thyroid gland, 222-36
 - in transposition of great vessels, 937
 - volume of
 - and blood volume, 302
 - and impedance, 416-17
 - weight of
 - and left ventricular mural thrombosis, 3, 5
 - and myocardial infarction, 3
 - in spontaneous rupture, 335
 - work of, 880-81
- Heart disease**
- air transportation in, 958
 - arteriosclerotic, procaine amide for auricular fibrillation in, 43
 - ballistocardiogram, 299
 - and bundle branch block, 578
 - congenital
 - anesthesia in surgery for, 780
 - angiocardiography in, 943
 - cerebral lesion in, 427
 - classification, 779
 - oximetry in, 740-48
 - right ventricular hypertrophy in, 296, 941
 - coronary
 - ballistocardiography in, 409, 945
 - hypertensive, procaine amide for auricular fibrillation in, 43
 - hypometabolism for, 225
 - and mass X-ray survey for tuberculosis, 955
 - postextrasystolic T-wave change in, 538-47

- pulmonary, 952
 - rheumatic, 303, 688-709
 - procaine amide for auricular fibrillation in, 43
 - thyroid, 224
 - traumatic nonpenetrating, 421-25
- Heart failure**
- congestive, 143, 616, 944
 - after aortic-pulmonary anastomosis in tetralogy of Fallot, 143
 - and arterial occlusion, 11
 - and atmospheric temperature, 616
 - blood volume in, 616
 - circulation time from right ventricle to ear in, 106-09
 - as contraindication to sympathectomy, 137
 - and humidity, 616
 - in hyperthyroidism, 224
 - I^{131} for, 228-30
 - intravenous digoxin in, 616
 - in mitral stenosis, 326
 - and mitral valve, 324
 - nocturnal diuresis in, 428
 - and penicillin-treated cardiovascular syphilis, 272-73
 - plasma volume in, 616
 - propylthiouracil for, 225
 - pulmonary engorgement in, 782
 - respiratory volume in, 782
 - and sodium excretion, 923
 - and spontaneous cardiac rupture, 338-39, 345
 - thiourea derivatives for, 225
 - thyroidectomy for, 225-26
 - H wave in, 393, 398
 - I wave in, 393
 - interlobar pleural effusion in, 144
 - ligation of vena cava for, 781
 - due to myxedema, 234
 - Q-J/Q-I ratio in, 390
 - in Paget's disease, 716
 - renal circulation in, 616
 - renal excretion of digitoxin in, 854-57
- Hematocrit**, after spinal anesthesia, 563
- Hematuria**, due to anticoagulant, 504
- Hemiparesis**, recurring, 634
- Hemiplegia**, after commissurotomy for mitral stenosis, 329
- Hemochromatosis**, heart in, 303, 304, 787
- Hemometakinesia**, 652
- Hemopericardium**, 422, 423
- Hemoptysis**
 - in mitral stenosis, 326
 - in pulmonary embolism, 771
 - in rheumatic heart disease, 705
- Hemorrhage**
- during anticoagulant therapy, 502
 - epicardial, 421
 - intimal, 733-35
 - intracranial, and coarctation of aorta, 411

- shock due to, 953
 - subendocardial, 422, 954
 - after surgery on pagetic bone, 712
 - due to Tromexan, 426
- Hemosiderosis**, pulmonary, with mitral stenosis, 868, 872-73
- Hemostasis**, after surgery on pagetic bone, 712
- Heparin**
- and cholesterol partition, 455
 - for coronary artery disease, 479
 - and gelatin-dextrose as anticoagulant, 614
 - intravenous vs. subcutaneous, 614
 - and lipoprotein, 455, 457
 - in plasma
 - assay of, 472
 - and atherosclerosis, 462
 - prolongation of action of, 778
 - and pulmonary embolism, 427, 775
 - tolerance test with, in dicumarol control, 142
- Heparin clotting time**, in acute myocardial infarction, 257-61
- Hepatic vein**
- oxygen content in spinal anesthesia, 895
 - pressure in, in spinal anesthesia, 898
- Hernia**, hiatus, of esophagus, 295
- Hexamethonium bromide**, 786
- for arterial hypertension, 150
- Hiatus hernia**, esophageal, simulating coronary artery disease, 295
- Histamine**, 629
- electrocardiography after, 620
 - liberation of, after Ro2-2222, 72
 - skin reaction to, 645-47
 - test for pheochromocytoma in hypertension, 432
 - vasoconstriction due to, 307
- H-J interval**, 589
- and ventricular systole, 591
- h-L interval**, and Q-T interval, 589
- Homeostasis**, vascular, and hypertension, 286-92
- Homograft**
- aortic valve, 956
 - arterial, for coarctation of aorta, 294
 - in resection of aneurysm of descending aorta, 443
- Hormone**
- antidiuretic, 435
 - and hypertension, 624
- HPC**, 439-40
- Humidity**, and congestive heart failure, 616
- Hydrazinophthalazine**, 623
- Hydrergin**
- for coronary disease, 783
 - for peripheral vascular disease, 308
- Hydrogen**, radioactive, dietary cholesterol labeled with, 359-66

- Hydrosis**, deficiency of, with impotence and orthostatic hypotension, 30-38
- Hydrothorax**, with myxedema, 623
- Hydroxycoumarin**, 778
- Hyperadrenalemia**, in essential hypertension, 289
- Hyperbilirubinemia**, in pulmonary embolism, 770
- Hypercholesterolemia**
of hypothyroidism, coronary arteriosclerosis after, 234
idiopathic, 467
induced, and atherogenesis, 681-86
in rabbit, 465
prevention of, 459
- Hypercorticism**, and hypertension, 290
- Hypersensitivity**, to Mercuhydrin, 245-48
- Hypertension**, 291
aberrant renal arteries in, 300
and acute arteriolar necrosis, 603-06
and adrenalectomy, 433
arterial
hexamethonium bromide for, 150
pyrogen for, 150
and spontaneous cardiac rupture, 338
veriloid for, 624
ballistocardiogram, 299
due to desoxycorticosterone, 289, 469
and dietary potassium, 433
dietary treatment of, 301
endocrine factors in, 624
essential, 286-88
acid-base equilibrium, 950
renal resistances in, 300
Soffer test in, 950
sympathectomy for, 131-40
humoral mechanisms in, 289-91
and intimal hemorrhage, 738
and kidney disease, 432
and left ventricular mural thrombosis, 3, 5
malignant, 135, 432
and nephrectomy, 433
pathogenesis of, 599-610
with unilateral renal-artery occlusion, 624
in mitral stenosis, 150
and nephrectomy, 140, 432
neurogenic, 286, 288
and Paget's disease, 715
pale, 600
peroxysmal, simulating pheochromocytoma, 432
due to pheochromocytoma, 151
Piperoxan as test in, 151
postnephrectomy, 286
protoveratrine for, 151, 212-21
pulmonary
and coronary sclerosis, 145
in mitral stenosis, 324
in patent ductus arteriosus, 119-22
and persistent patency of the ductus arteriosus, 938
primary, 635
and pulmonary vascular bed, 122
red, 600
Regitine as test in, 151
renal, 290-91, 549-51
adrenal in, 441
aorta wall in, 469
retinitis in, 600-03
rice diet for, 150
roentgenogram of sella turcica in, 300
and sodium excretion, 919-23
in spontaneous cardiac rupture, 344
test for pheochromocytoma, 432
and vascular homeostasis, 286-92
vasomotor mechanisms in, 287-89
- Hypertensive diencephalic syndrome**, 288
- Hyperthyroidism**
angina pectoris in, 224-25
arrhythmia in, 223-24
blood flow velocity in, 223
blood volume in, 224
cardiac enlargement in, 224
cardiac output in, 223
cardiovascular manifestations of, 223
congestive failure in, 224-25
- Hypertrophy**
of heart, 309
in hyperthyroidism, 224
and Paget's disease, 714-15, 717-21
right ventricular, in congenital heart disease, 296, 941
right ventricular, electrocardiography in, 146, 209
left ventricular, precordial tracing of rectilinear type in, 147
myocardial, and coronary arteriosclerosis, 429
- Hyperventilation**, voluntary, in congenital heart disease, 743-48
- Hypohydrosis**, with impotence and orthostatic hypotension, 30-38
- Hypometabolism**
due to I^{131} in heart disease, 231, 233
for intractable heart disease with normal thyroid function, 225
- Hyponatremia**, and mercuhydrin hypersensitivity, 247
- Hypopotassemia**
due to hypotension, 371-72
merging of T and U waves in, 383, 385
- Hypoproteibinemia**
due to anticoagulant No. 63, 142
due to bishydroxycoumarin, 614
vitamin K for, 941
vitamin K₁ for, 142
- Hypotension**
due to hypopotassemia, 371-72
intra-arterial transfusion for, 625
postural
with anhidrosis and impotence, 30-38
due to SKF 688A, 352, 355
after sympathectomy, 139
due to protoveratrine, 212-21
after spinal anesthesia, 566
due to sulfhydryl compound, 300
- Hypothalamus**, in syndrome of orthostatic hypotension, anhidrosis and impotence, 37
- Hypothermia**
due to immersion, 311
rewarming from, 302
- Hypothyroidism**
due to I^{131} for angina pectoris, 226-28
due to I^{131} for congestive heart failure, 228-30
- Hypoxia**
acute, and pulmonary circulation time, 163
in cor pulmonale, 892
- I^{131} . See Iodine, radioactive
- I wave**
in heart failure, 393
after diuresis, 396
in myocardial infarction, 404
- I-G amplitude**, 398-99
- I-J duration**, 390
- IJK complex**, in congestive heart failure after diuresis, 396
- Impedance**, during cardiac cycle, 415-20
- Impotence**, with anhidrosis and orthostatic hypotension, 30-38
- Index**, cardiac, after spinal anesthesia, 561
- Infant**
coarctation of aorta in, 411-14
cyanotic, care of, 939
electrocardiographic patterns of, 148
endocardial fibrosis in, 952
- Infarction**
auricular, 945
cardiac, anticoagulant for, 778
cerebral, 12, 427
massive, of right ventricle, 593-97
myocardial, 423
acute, 429
and age of patient, 617
angina pectoris after, 406
anticoagulants in, 498
ballistocardiography in, 299, 402-07
blood coagulation in, 257-61
cerebral manifestations of, 619, 783
circulating eosinophils after, 947
as contraindication to sympathectomy, 137
and coronary occlusion, 428
cortisone for, 619, 630
hemodynamic alterations in, 947
intra-arterial transfusion for shock in, 618
major surgery in patients with, 618
mortality after anticoagulant, 508-09
prothrombin in, 142
 Q_s deflection in, 298
relief of pain in, 784
skin temperature in, 144

Infarction (Cont'd)

- in spontaneous cardiac rupture, 335-36, 339-43, 345
- thrombo-embolism in, 1-6, 7-14
- urinary urobilinogen after, 925
- and urticaria, 784
- Wolff-Parkinson-White syndrome in, 429
- posterior, leads in, 620
- pulmonary, 499
- subendocardial, of left ventricle, 299

Injury potential, of cardiac muscle of turtle, 154

Innominate artery, 632

Insomnia, as contraindication to sympathectomy, 139

Insufficiency

- aortic
 - syphilitic, and aneurysm, 271
 - syphilitic, penicillin-treated, 269-74
- coronary
 - amyl nitrate for, 253
 - diagnostic test, 190
 - electrocardiography in, 209
 - after penicillin for cardiovascular syphilis, 296
 - vs. real post-tachycardial syndrome, 145
 - recovery after, 617
- myocardial, and Q-I interval, 397
- tricuspid, in rheumatic heart disease, 706

Insulin, and plasma potassium, 440

Intelligence, and anoxemia, 940

Intestine, and excretion of digitoxin, 851-52

Intima

- nourishment of, 733
- thickening of, 788

Intubation, tracheal, reflex circulatory responses to, 151

Inulin, extraction of, 625

Iodine

- radioactive
 - for angina pectoris, 225-28
 - in determination of cardiac output, 572-76
 - for heart disease, 225-36
 - metabolism of, 786
- tincture of, 657

Ion, tetraethyl ammonium, toxicity of, 902-10

Iris

- dilation of, 355
- after SKF 688A, 357

Irradiation, ultra-violet ray, plasma clotting after, 141

Ischemia, of leg, 958

Isopropyl norepinephrine and cardiac rhythmicity, 238-43

Isuprel, 438

See also Norepinephrine, isopropyl

J-L interval, 589, 491

J wave

- in congestive heart failure after diuresis, 396
- and femoral pulse wave, 589

in myocardial infarction, 404

notched, 579

and ventricular ejection, 590-91

K wave

- in congestive heart failure after diuresis, 396
- and femoral pulse wave, 589

Khellin, 839

for chronic pulmonary disease, 306

Kidney

- aberrant renal arteries of, in hypertension, 300
- artificial, 433, 791
- circulation in, in heart failure, 616
- after dietary cholesterol, 684
- disease of
 - in choice of operation for hypertension, 140
 - and hypertension, 432, 549-51
- of dog, digitoxin in, 369
- electrolyte regulation by, 434
- and excretion of
 - digitoxin, 853-57
 - mercury, 441
- in heart disease, 881-83
- and hypertension, 290-91, 599
- adrenal in, 441
- necrotizing papillitis, 944
- in Paget's disease, 715
- polycystic disease of, 633
- pressure in, 792
- resistance in, in essential hypertension, 300

Kimmelstiel-Wilson's syndrome, atheroma of renal artery in, 952

Kyphosis, cervicodorsal, in osteitis deformans, 715

L wave, 591

Lability, of prothrombin time

- after dicumarol, 496
- after Tromexan, 496

Lability test, serum, in diagnosis of endocarditis lenta, 293

Landis' apparatus, for obstructive vascular disease, 648

Laryngoscopy, reflex circulatory responses to, 151

Lead, electrocardiographic, 146

chest

- in normal men, 201-10
- and position of patient, 784
- graphic representation of, by fluid mappers, 21-29
- esophageal, 620
- in congenital anomaly of heart, 294
- frontal, rational order of, 622
- precordial, 201
- Wilson's explanation of, 430

Leg

- blood flow through calf of, during occlusion of femoral artery and vein, 281-84
- ischemia of, 958
- sodium excretion after compression of, 911-17
- temperature, 865
- venous occlusion of, 957
- venous thrombosis of, 12
- See also Limb

Leukocyte-platelet thrombosis, 631

Leukocytosis

- in pulmonary embolism, 772, 774
- in spontaneous cardiac rupture, 340

Levocardia, 943

situs inversus with, 938

Levo-norepinephrine, 238-41

Ligation

- of circumflex artery
 - and arterialization of coronary sinus, 16-20, 264
 - with arteriovenous fistulas, 262-63
 - with elevation of sinus pressure, 263-64
 - with occlusion of coronary sinus, 265
- of vein, for pulmonary embolism, 775
- of vena cava, for heart-failure, 781, 782

Limb

- blood flow in, 303, 712
- fistulation of, congenital, 634
- presenile medial calcinosis of arteries of, 468
- venous congestion of, 625
- See also Leg

Lipid

- in comatose man, 365
- in coronary arteriosclerosis, 484-88
- deposition of, in excised arteries, 303
- phosphorus, in atherosclerotic state, 478
- in serum, 466
- effect of brain extract on, 458

Lipo-adrenal cortex, 309

Lipoprotein

- beta, 683
- and heparin active factor, 457
- in plasma, effect of hormones on, 455
- in serum, endocrine influences on, 460
- transformation of, in vitro, 474

Liquorice therapy, hypokalemic alkalosis with tetany during, 952

Liver

- and cholesterol, 364, 467
- dietary, 684
- cirrhosis of
 - myocardosis in, 626
 - nocturnal diuresis in, 428
- digitoxin destruction by, 663-65
- digitoxin excreted by, 661-63
- estimated blood flow, in spinal anesthesia, 895
- and hypertension, 291
- of rabbit, digitoxin in, 369
- of rat, digitoxin in, 368

Lobar vein, occlusion of, 795

Lues. See Syphilis

Lung

- burned, 666-79
- chronic disease of, 874-86
- edema of
 - neurogenic, 51-61
 - peripheral vasodilation for, 69, 70, 72

- embolism in, and myocardial infarction, 7-14
inflation of,
 passive, 556
 and vascular resistance, 629
right, multiple arteriovenous fistula in, 958
surgery of, function tests in, 626
tuberculous, vascular changes in, 437
- Lupus erythematosus**
 mepacrine for, 307
 cortisone for, 630
- Lutembacher syndrome**, 932-33
- Mammal**, dormant estivating, clotting time in, 142
- Mapper**, fluid, for graphic representation of electrocardiographic leads, 21-29
- Master's test**
 vs. amyl nitrate test, 252, 253
 modified double, electrocardiography in, 183-91
- Measles**, German, 939
- Mecholyl**
 for obstructive vascular disease, 651
 test for pheochromocytoma in hypertension, 432
- Medulla**, adrenal, in hypertension, 289
- Membrane**
 action potential, and digitoxin, 174-75
 resting potential, 173, 176
 voltage of, and digitoxin, 176
- Mentality**, and anoxemia, 940
- Mepacrine**, for lupus erythematosus, 307
- Mercaptomerin**, 246
- Mercuryhydrin**, 306
 and ammonium chloride, 306
 hypersensitivity to, 245-48
- Mercurin**, 84-87
- Mercurophylline**, 246
- Mercury**, renal excretion of, 441
- Mercuzanthine**, 246
- Microscope**, capillary, 306
- Mineralocorticoid**, 290, 373
- Mitral valve**
 anatomy of, 825-30
 calcification of, 327-28
 insufficiency of
 and stenosis, 702-04
 syphilitic, and aneurysm, 271
 regurgitation of, atrial border electrokymography in, 96-101
 rupture of, 423
 stenosis of, 789
 commissurotomy for, 321-32, 444
 embolus in, 323
 with exertional cyanosis, 868-73
 hypertension in, 149, 150
 and insufficiency, 702-04
 in rheumatic heart disease, 690-705
- surgery for, 793
 thrombus in, 323
- Mortality**
 in commissurotomy for mitral stenosis, 330-32
 in coronary atherosclerosis after low cholesterol-low fat diet, 295
 after coronary occlusion, effect of coronary sinus arterialization on, 16-20
 after ligation of circumflex artery, 265
 with arterialization of coronary sinus, 264
 with arteriovenous fistulas, 263
 with elevation of sinus pressure, 264
 with occlusion of coronary sinus, 265
 due to syphilitic aortitis, 273-74
- Mouse**, tumor-bearing, 304
- Mucoprotein**, in human serum, heparinoid nature of, 305
- Murmur**
 continuous, patent ductus arteriosus without, 110-23
 Graham Steell, in mitral stenosis, 327
 mitral systolic, after commissurotomy for mitral stenosis, 329
 in penicillin-treated cardiovascular syphilis, 271, 272
- Muscle**
 papillary, excitation of, 166
 skeletal, action potential in, 179
 See also Myocardium
- Myocarditis**
 in acute poliomyelitis, 148
 descending, 945
 diphtheritic, heart block in, 785
 and encephalitis, 848
 in hemolytic tonsillitis, 154
 in scarlet fever, 154
- Myocardium**
 contraction of fiber, 791
 effect of digitalis on, 309
 electrolyte in, after epinephrine, 153
 fibrosis of, and cardiac rupture, 335
 in hemochromatosis, 304
 lesion of, in subacute bacterial endocarditis, 777
 phosphocreatine of heart, 310-11
 repolarization of, and postextrasystolic T-wave changes, 546
 respiration of, 437
 vs. skeletal muscle, 179
 subendocardial injury to, 190-91
 of turtle, 154
 ventricular, excitatory process in, 161-71
 water in, after epinephrine, 153
- Myocardosis**
 in cirrhosis of liver, 626
 definition of, 945
- Myomalacia**, 423
- Myxedema**, effusions in, 623
- Myxedema heart**, 234
- Myxoma**, of left atrium, 762-67
- Natriuresis**, 290
- Nausea**
 due to dioxylone phosphate, 127-28
 due to protoveratrine, 216-18
 after spinal anesthesia, 566
- Neck**, compression of, sodium excretion after, 914, 916
- Necrosis**, acute arteriolar, 603-06
- Neosynephrine**, for syndrome of orthostatic hypotension, anhidrosis and impotence, 36
- Nephrectomy**
 and blood pressure, 433
 for hypertension, 140
 and hypertension, 433
 in parabiotic rat, 432
 due to unilateral renal disease, 549-51
 vascular lesions elicited by renin after, 469
- Nephritis**, and hypertension, 606
- Nerve**, sciatic, of frog, 180
- Nervous system**
 central
 and hypertension, 291
 in syndrome of orthostatic hypotension, anhidrosis and impotence, 35, 37
 sympathetic
 blockade of, by TEAC, 288
 and SKF 688A, 352-58
 vegetative, and Wolff-Parkinson-White syndrome, 297
- Nervousness**, as contraindication to sympathectomy, 139
- Neuralgia**, after sympathectomy, 139
- Neurectomy**, peripheral, for pain in obliterative arterial disease, 471
- Neurogenic pulmonary edema**, 51-61
- Neurovegetative imbalance**, electrocardiography in, 148
- Nickerson ballistocardiogram**, in arteriosclerotic heart disease, 389-400
- Nicotine**, in obstructive vascular disease, 654
- Nicotinic acid**, and skin capillaries, 306
- Nicotinic alcohol tartrate**, circulatory effects of, 90-95
- Nitrate**, silver, in demonstration of pathologic changes of endothelium, 463
- Noradrenaline**, vs. adrenaline, 287
- Norepinephrine**
 and cardiac rhythmicity, 238-43
 diuretic effect of, 440
 for heart block, 239-41
 for induced cardiac standstill, 238-39
 isopropyl
 and cardiac rhythmicity, 238-43
 for heart block, 239-41
 and sinus rhythm, 242

- Norepinephrine** (*Cont'd*)
 in peripheral blood during anxiety, 154
 pressor action of, effect of sodium on, 373-76
 and sinus rhythm, 242
 for syndrome of orthostatic hypotension, anhidrosis and impotence, 36
 ventricular fibrillation due to, 243
- Nose**, congestion in, after SKF 688A, 356
- Notching**
 of ballistocardiographic wave, 392, 398
 of electrocardiographic wave, 379-82
- Novocaine**, and skin capillaries, 306
- Nucleotidase**, in human aorta, 463
- Obesity**, and SKF 688A, 357
- Obstruction**, tracheal, anoxia due to, 296
- Occlusion**
 arterial, 281-84, 296, 624
 due to atherosclerosis, 12
 and congestive heart failure, 11
 and intracardiac mural thrombi, 7-14
 systemic, 7-14
 cerebrovascular, and myocardial infarction, 13
 of common femoral artery and vein, blood flow through calf of leg during 281-84
 coronary
 and cardiac rupture, 335, 342
 and myocardial infarction, 428
 recovery after, 617
 of coronary sinus, with ligation of circumflex artery, 264-65
 of pulmonary artery, anoxia due to, 296
 of right renal artery, malignant hypertension with, 624
 thrombotic, of aorta, 957
 venous, of leg, 957
- Oncotic affector**, plasma, as diuretic agent, 438
- Oscillator**, Traube, 557
- Oscillometry**, in circulatory effects of roniacol, 92-94
- Osteitis deformans**, and cardiovascular disease, 711-22
- Ouabain**, 310
- Output**, cardiac. *See* Cardiac output
- Oximetry**
 in congenital heart disease, 740-48
 circulation time, 106-09
- Oxygen**
 arterial, in heart disease, 884-85
 arterial saturation
 in cor pulmonale, 879, 889
 in congenital heart disease, 743-47
 arteriovenous difference after spinal anesthesia, 563, 568
 brachial arterial-hepatic venous, in spinal anesthesia, 895
 consumption of
 and diuresis, 399
 after spinal anesthesia, 563, 568
 deficit of, 625
 in hepatic venous blood, in spinal anesthesia, 895
 high pressure, cardiac changes due to, 949
 as peripheral vasodilator, 655-56
 pulmonary diffusion of, with left-to-right shunt, 943
 splanchnic consumption, in spinal anesthesia, 898
- P cardiale**, 785
- P wave**, 785
 and ballistic complexes, 75-76
 and exercise, 184
 and H wave, 590
- Pacemaker**
 A-V, and procaine amide, 197-99
 cardiac
 and epinephrine, 238-43
 and isopropyl norepinephrine, 238-43
 and norepinephrine, 238-43
 sinoauricular, 197
 sinus node as, in flutter due to aconitine, 531
- Paget's disease**, and cardiovascular disease, 711-22
- Pain**
 in myocardial contusion, 423
 in obliterative arterial disease, 471
 in pulmonary embolism, 770-71, 773-74
 and sodium excretion, 915
 after sympathectomy for essential hypertension, 139
- Pancreas**, arteriosclerotic, in Paget's disease, 715
- Papaverine**
 and cerebral circulation, 953
 and interarterial coronary anastomosis, 858
- Papillary muscle**, 828
- Papilledema**, as contraindication to sympathectomy, 137
- Papillitis**, necrotizing renal, 944
- Paradox**, therapeutic, in penicillin-treated cardiovascular syphilis, 274
- Paralysis**, respiratory, after spinal anesthesia, 567
- Paredrine**, for syndrome of orthostatic hypotension, anhidrosis and impotence, 36
- Patent ductus arteriosus**. *See* Ductus arteriosus
- P.A.S. therapy**, hypokalemic alkalosis with tetany during, 952
- Peak**, auricular, 177
- Pelentan**. *See* Tromexan
- Penicillin**
 for bacterial endocarditis, 613
 for cardiovascular syphilis, 267-75, 439
 coronary insufficiency after, 296
 prophylactic, 939
 for subacute bacterial endocarditis in pregnancy, 293
- Pericardectomy**, 794
- Pericarditis**
 adhesive, 422
 constrictive, 794
 fibrinous, in spontaneous cardiac rupture, 336
- Pericardium**, in nonpenetrating traumatic heart disease, 421-22
- pH of plasma**, and mercurial diuresis, 944
- Phasic analysis**, and electrokymography, 792
- Phenylindanedione**, 515-18
- Pheochromocytoma**, 289
 hypertension due to, 151
 simulated by
 coarctation of abdominal aorta, 615
 paroxysmal hypertension, 432
 tests for, in hypertension, 432
- Pherentasin**, 290
- Phlebotomy**
 cardiac output after, 69
 for polycythemia, 884
- Phosphocreatine**, cardiac, 310-11
- Phospholipid**, 478
 ratio of, to cholesterol in atherosclerosis, 278-79, 475
 in serum
 in atherosclerosis, 473
 effect of choline on, in coronary artery disease, 472
 effect of estrogen on, 478
- Photoelectric cell**, sensitivity of, 100-01
- Phrenicectomy**, intracisternal injection of fibrin after, 56
- Pig**, interarterial coronary anastomoses in, 832-41
- Piperoxan**, as test in hypertension, 151
- Pitressin**, 84-85, 88, 291, 435
 and spontaneous cardiac rupture, 340
 vasoconstriction due to, 307
- Pituitary**, posterior, and sodium balance, 440
- Placenta**, after dietary cholesterol during pregnancy, 104
- Plaque**, atherosclerotic, in coronary artery disease, 732-39
- Plasma**
 clotting of, after ultra-violet irradiation, 141
 heparin in
 assay of, 472
 and atherosclerosis, 462
 lipoproteins in, effect of hormones on, 455
 oncotic affector, as diuretic agent, 438
 pH of, and mercurial diuresis, 944
 potassium in
 and acidosis, 434
 and alkalosis, 434

- and insulin, 440
and epinephrine, 440
renal flow, in heart disease, 881-83
volume of, in heart disease, 616, 881-83
- Platelet**, and coagulation defect due to dicumarol, 141
- Plethysmography**
in circulatory effects of roniacol, 94
in syndrome of orthostatic hypotension anhidrosis and impotence, 36
- Pleura**, interlobar, effusion in, 144
- Pleuritis**, constrictive, 794
- Pleuropericardial cyst**, 155
- Pneumonia**, bacterial, acute endocarditis in, 777
- Pneumopericardium**, 422
- Poisoning** due to barbiturate, electrocardiography in, 149
- Poliomyelitis**, acute
electrocardiography in, 148, 621, 948
myocarditis in, 148
- Polyarteritis nodosa**, with loop glomeruli, 788
- Polycythemia**, 874-76, 884-85
in tetralogy of Fallot, 934
- Polypus cordis**, 951
- Popliteal artery**, aneurysm of, 473
- Position**, and sodium excretion, 914
See also Posture
- Post-tachycardial syndrome**, vs. coronary insufficiency, 145
- Posture**
and antecubital venous pressure, 435
and heart rate, 434-35
hypotension due to, with anhidrosis and impotence, 30-38
and pulse pressure, 434-35
and stroke volume modulation, 555
- Potassium**
dietary, and blood pressure, 371-72, 433
as diuretic agent, 438
excretion of, after vasopressin, 435
in plasma
and acidosis, 434
and alkalosis, 434
and epinephrine, 440
and insulin, 440
- Potassium chloride**
and action potential, 180
dietary, cardiac mass after excess of, 153
- Potential**
action
in cardiac muscle, 179
and di-isopropyl fluorophosphate, 180
and eserine, 180
membrane, 173-76
and potassium chloride, 180
in skeletal muscle, 179
- cardiac, chest distribution of, 201
intracavity, of human left ventricle, 149
proximity, of ventricle, 299
- P-R interval**
in bundle-branch block, 171
and H wave, 79-80
short, with wide QRS complex, 622
- Pregnancy**
cholesterol in, 103-05
coronary artery disease in, 946
electrocardiography in, 948
German measles during, 939
high spinal anesthesia in, 630
with subacute bacterial endocarditis, 293
toxemia of, constrictions of retinal arteries in, 601
- Pregnanediol**, formation of, from cholesterol, 365
- Preponderance**, electrocardiographic pattern of, 784
- Pressor agent**
cerebral, 291
- Pressure**
arterial
and arteriovenous fistula, 435
after intracisternal injection of fibrin, 53
after Ro2-2222, 63-72
and veratramine, 629
atrial, 441
and arteriovenous fistula, 435
brachial arterial, in spinal anesthesia, 561, 895
carotid, and hypertension, 288
cerebrospinal
and albuminuric retinitis, 602
after Ro2-2222, 64
coronary sinus, with ligation of circumflex artery, 263-64
hepatic vein, in spinal anesthesia, 898
intracranial, pressor response to, 787
perfusion, and renal function, 625
pulmonary, in mitral stenosis, 324-27
pulmonary arterial
in cor pulmonale, 889
after spinal anesthesia, 563
pulmonary capillary, 955
pulmonary vascular, after intracisternal injection of fibrin, 59
right heart, after spinal anesthesia, 568
venous
and arteriovenous fistula, 435
during catheterization, 786
after intracisternal injection of fibrin, 54
intrarenal, 792
and posture, 435
- Pressure pulse**, due to simulated saccular aneurysm, 787
- Priscoline**
as vasodilator, 654
for vasospasm, 520-28
- Privine**, diuretic effect of, 440
- Procaine**
block
caudal, as vasodilator, 655
for pain relief in myocardial infarction, 784
for flutter due to aconitine, 531-32
in prolongation of heparin action, 778
- Procaine amide**
for auricular fibrillation, 41-50
for auricular flutter, 41-50
for cardiac arrhythmia, 308
chill due to, 629
and circulation, 953
fatal agranulocytosis due to, 628
fever due to, 629
intravenous, 307
vs. quinidine, for arrhythmia, 304
toxicity of, 46-48
for transient ventricular fibrillation, 193-99
See also Pronestyl
- Proconvertin**, determination of, 614
- Proliferation**, fibroblastic, in coronary arteriosclerosis, 484
- Pronestyl**
for auricular fibrillation, 41-50
for auricular flutter, 41-50
for ectopic rhythm, 437
in traumatic heart disease, 424
See also Procaine amide
- Propylthiouracil**
for angina pectoris, 225
for congestive heart failure, 225
- Prostigmine**, 905
- Protamine sulfate**, vasoconstriction due to, 307
- Proteinuria**, 290
- Prothrombin**
determination of, 614
after phenylindanedione, 516-17
- Prothrombin time**
and dicumarol, 260, 495-97, 501
in myocardial infarction, 142
and Tromexan, 494-97, 501
- Prothrombin utilization test**, in angioorganopathy, 426
- Protoveratrine**
continuous intravenous, 217-18
and digitoxin, 216
for hypertension, 212-21
intracisternal, 58
intramuscular, 218
intravenous, for hypertension, 151
oral, 219-20
toxicity of, 216
- Psychoneurosis**, as contraindication to sympathectomy, 139
- Pulmonary artery**
diastolic pressure, 955
embolism, 768-76
hypertensive, and persistent patency of the ductus arteriosus, 938
ligation of, bronchial arteries in, 152
occlusion of, 795
anoxia due to, 296
in pulmonic valvulotomy, 956
pressure, 880

- Pulmonary artery** (*Cont'd*)
 after closure of patent ductus arteriosus, 121
 in cor pulmonale, 889
 in mitral stenosis, 324-27
 stenotic, 155, 935-36
 in Taussig-Bing malformation, 936
 thickening of, 952
 thrombosis of, 794
 in transposition of great vessels, 936-37
- Pulmonary conus**, 934
- Pulmonary vein**
 anomalous drainage of, 801-15
 occlusion of, 795
 transposition of, 294
- Pulse**
 abdominal aortic, and coarctation of aorta, 941
 in aortic stenosis, 818
 in patent ductus arteriosus, 115
 in subaortic stenosis, 819
- Pulse pressure**
 in patent ductus arteriosus, 115
 and posture, 434-35
- Pulse rate**
 after Ro2-2222, 66
- Pulse rate**, due to SKF 688A, 355
- Pulse volume**, after spinal anesthesia, 563
- Pupil**, response of, after SKF 688A, 355-56
- Pyelonephritis**, and hypertension, 606-07
- Pyribenzamine**, and Mercurhydrin, 246
- Pyrogen**, for arterial hypertension, 150
- Q₂ deflection**, in myocardial infarction, 298
- Q wave**
 deep, in lead III, 949
 in pulmonary embolism, 772
- Q-I interval**, 390, 397
- Q-J interval**, 390, 398
- Q-J/Q-I ratio**, 390
- qR pattern**, Wilson's explanation of, 430
- QRS axis**, and age of patient, 754-55
- QRS complex**
 and depolarization of ventricular fiber, 179
 isoelectric beginning of, 379
 in pulmonary embolism, 772
 wide, with short P-R interval, 622
- QRS vector**, in neurovegetative imbalance, 148
- Q-T interval**, 786
 and digitalis, 172
 after exercise, 149
 in exercise, 190
 and h-L interval, 589
 measurement of, 378-87
 after procaine amide, 46
 prolongation of, 145
- Q-T_e interval**, and exercise, 184, 186-87
- Q-T/T-Q ratio**, 184-87, 190
- Quinidine**, 839
 for auricular fibrillation, 306, 627, 790
- for flutter, 627
 due to aconitine, 531-32
 vs. procaine amide
 for arrhythmia, 304
 for auricular fibrillation, 48
 for auricular flutter, 48
 in traumatic heart disease, 424
 vasomotor action of, 630
- R wave**
 discrepancy type, 949
 and exercise, 184
- Rabbit**
 cholesterol atherosclerosis in, 464
 cholesterol fed, aureomycin in, 470
 digitoxin in, 369, 662, 664
 hypercholesterolemia in, 465
 prevention of, 459
 after intracisternal injection of fibrin, 52-54
- Radiiodine**
 for angina pectoris, 225-28
 in determination of cardiac output, 572
 for heart disease, 225-36
 metabolism of, 786
- Rat**
 cardiac mass in, after excess dietary potassium chloride, 153
 digitoxin in, 368-69, 662, 663, 851-52
 hypertensive
 and dietary potassium, 433
 nephrectomized parabiotic, 432
- Rate**, ventricular, after procaine amide, 45, 49
- Raynaud's disease**, dibenamine for, 440
- Real post-tachycardial syndrome**, vs. coronary insufficiency, 145
- Recosen**, 628
- Rectum**, temperature of, 865
- Red blood cell**, and cholesterol, 364
- Reflex system**, Bezold, 288
- Regitine**, 953
 as test in hypertension, 151
 for vasospasm, 520-28
- Regurgitation**, mitral, atrial border electrokymography in, 96-101
- Relaxation**, ventricular, 177
- Renal artery**
 atheroma of, in Kimmelstiel-Wilson syndrome, 952
 blood pressure in, 625
 occlusion of, malignant hypertension with, 624
- Renal vein**, catheterization of, 951
- Renin**, 469
 in hypertension, 290
 vascular lesions due to, 469
- Reoxygenation**, ventricular fibrillation of, 621
- Repolarization**
 and cardiac cycle length, 544
 after digitalis, 180
 of membrane, 173-75
- Resection**, of aneurysm of descending aorta, 443
- Residual volume**, of blood in right ventricle, 302
- Resin**, cation-exchange, 304, 428, 617
- Resistance**
 arteriolar, 955
 in essential hypertension, 286
 alternating current, in pulmonary edema, 675-76
 electrical, of tissue, 28
 peripheral, after spinal anesthesia, 565, 568
 pulmonary, 629, 880, 955
 renal, in essential hypertension, 300
- Respiration**
 artificial, for toxicity of Etamon, 907
 and blood pressure variations, 553-58
 after spinal anesthesia, 567
 and systolic force, 394
 of tissue, 437
- Resting potential**, membrane, 173, 176
- Retinal artery**, 601
- Retinitis**
 albuminuric, pathogenesis of, 600-03
 arteriosclerotic, 601
- Rheumatic fever**, 778, 955
 ACTH for, 442
 after commissurotomy for mitral stenosis, 329
 cortisone for, 955
 genetics of, 955
 3-hydroxy-2-phenylethanoic acid for, 439-40
- Rhythmicity**, cardiac
 ectopic, pronestyl for, 437
 and epinephrine, 238-43
 and isopropyl norepinephrine, 238-43
 and norepinephrine, 238-43
- Rice diet**, 135
 for hypertension, 150
- Ring**, vascular, 931-32
- Ro 2-2222**
 arterial pressure after, 63-72
 cerebrospinal fluid pressure after, 64
 clotting time after, 71
 after intracisternal injection of fibrin, 55
 in surgery, 71
 toxicity of, 66-67, 71
- Rocking bed**, Saunders, 648
- Roentgenology**
 of acute pulmonary edema, 442
 in coronary artery calcification, 144
 in pulmonary embolism, 772
- Ronlacol**
 circulatory effects of, 90-95
 for vasospasm, 520-28
- rS pattern**, Wilson's explanation of, 430
- RS-T segment**
 and digitalis, 172
 displacement of, 180
 after procaine amide, 194
- R-T junction**, deviation of, 180
- Rupture**
 of aortic valve, non-traumatic, 304

- cardiac, 424
 spontaneous, 334-47
 of chordae tendineae, 422, 423
 of intimal capillaries, 733
 of mitral valve, 423
 pericardial, 422
 septal, 345
- S wave, and exercise, 184
- Saline solution, as diuretic agent, 438
- Salmine, 307
- Salt depletion syndrome, 944
- Salt solution, as diuretic agent, 438
- Sarcoidosis, 951
- Saunders rocking bed, 648
- Scarlet fever, myocarditis in, 154
- Schultz test, digitonine precipitation in, 462
- Sciatic nerve, of frog, 180
- Sclerosis
 coronary, and pulmonary hypertension, 145
 pulmonary vascular, 794
- Sella turcica
 in angina pectoris, 300
 in hypertension, 300
- Sensitivity, to Mercuhydrin, 245-48
- Septum
 auricular defect, 932-33, 943
 interventricular, rupture of, 345
 ventricular
 defect of, 933
 defect of, vs. patent ductus arteriosus, 115, 120
 excitatory process in, 161-71
- Serum
 albumin in, for cerebral edema after cardiac arrest, 789
 cholesterol in
 in atherosclerosis, 473, 478
 in coronary artery disease, 472
 dietary, 364, 458
 during pregnancy, 103-05
 iodinated albumin in, in determination of cardiac output, 572-76
 lipid in, 456
 effect of brain extract on, 458
 lipoprotein in, endocrine influences of, 460
 mucoprotein in, heparinoid nature of, 305
 phospholipid in
 in atherosclerosis, 473
 effect of choline on, in coronary artery disease, 472
 effect of estrogen on, 478
 potassium in
 and blood pressure, 371-72
 sodium in, in Mercuhydrin hypersensitivity, 245
 vascular reaction to, effect of cortisone on, 305
- Serum lability test, in diagnosis of endocarditis lenta, 293
- Sex (of patient)
 and spontaneous cardiac rupture, 338, 344
 and susceptibility to coronary atherosclerosis, 278
- Shock
 hemorrhagic, 791, 953
 in myocardial infarction, 618
 therapeutic, in penicillin-treated cardiovascular syphilis, 274
- Shunt
 left-to-right, 943
 venoarterial, through overriding aorta, 106-09
- Silicosis, khellin for, 306
- Silver nitrate, in demonstration of pathologic changes of endothelium, 463
- Sinus rhythm
 and epinephrine, 241-42
 in mitral stenosis, 324
 and norepinephrine, 241-42
 isopropyl, 241-42
 due to procaine amide for auricular fibrillation, 43
- Situs inversus
 dextrocardia without, 938
 with levocardia, 938
- SKF 688A, 352-58
- Skin
 blood volume in, 631
 color of, 649-50
 histamine reaction in, 645-47
 temperature of, 862-67
 and muscular circulation, 90
 in myocardial infarction, 144
 after Ro 2-2222, 64-65
- Smoking
 angina after, 309
 and blood flow through hand, 301
 in obstructive vascular disease, 654
- Sodium
 depletion of, in hypertension, 301
 excretion of
 and blood pressure, 919-23
 and cardiac output, 153
 after compression of legs, 911-17
 after compression of neck, 916
 after vasopressin, 435
 and hypertension, 289
 and posterior pituitary extract, 440
 and pressor effects
 of desoxycorticosterone, 373-76
 of epinephrine, 373-76
 of norepinephrine, 373-76
 in serum, in Mercuhydrin hypersensitivity, 245
- Sodium benzoate, for toxicity of Etamon, 907
- Sodium chloride, external, and injury potentials of cardiac muscle, 154
- Sodium nitrate, 839
 and interarterial coronary anastomosis, 838, 840
- Soffer test, in essential hypertension, 950
- Somatotype, and heart shape, 310
- Sounds, cardiac
 diastolic, 954
 first, 790, 954
 in patent ductus arteriosus, 115
- Spasm, arterial
 coronary, 839
 traumatic, 950
- Sphygmography, femoral, and ballistocardiography, 589
- Spinal anesthesia
 hemodynamic changes in, 559-70, 894-900
 after intracisternal injection of fibrin, 57
 peripheral vasodilation due to, 69
 in pregnancy, 630
- Spine, dorsal, in osteitis deformans, 715
- Splanchnicectomy
 for essential hypertension, 137-38
 thoracolumbar, 623
- Spleen
 oxygen consumption, in spinal anesthesia, 898
 vascular resistance, in spinal anesthesia, 898-900
- Squirrel, clotting time in, 142
- S-T segment
 after amyl nitrate, 251
 and exercise, 187-88
- Standstill, cardiac, 633, 954
 cerebral edema after, 789
 Isuprel for, 239
 norepinephrine for, 238-39
 ventricular
 postfibrillary, 198
 after procaine amide, 195, 197
- Steam, inhalation of, respiratory burns due to, 666-79
- Stenosis
 aortic, vs. congenital subaortic, 817-23
 mitral, 789
 commissurotomy for, 321-32, 444
 embolus in, 323
 with exertional cyanosis, 868-73
 hypertension in, 149, 150
 and insufficiency, 702-04
 in rheumatic heart disease, 690-705
 surgery for, 793
 thrombus in, 323
 pulmonary, 935
 arterial oxygen saturation in, 745
 blood volume after operation for, 427
 isolated, 155
 with normal aortic root, 781
 and tetralogy of Fallot, 427, 780
 subaortic, congenital, 817-23
 tricuspid, relative, 310
- Sternum, deformity of, 956
- Steroid, adrenal, 478
- Strain, right ventricular, electrocardiography in, 145, 149
- Streptococcus viridans, 613
- Stress, cardiovascular
 in endocarditis, 293
 in glomerulonephritis, 293
- Stroke volume
 respiratory modulation of, 555
 after spinal anesthesia, 561

- Strophanthin**, 180, 309
- Subclavian artery**
in coarctation of aorta, 632, 633
right, aberrant, 632
- Sucrose**, for measurement of extracellular fluid, 625
- Sulphydryl compound**, as antihypertensive, 300
- Surgery**
anesthesia for, in congenital heart disease, 780
for coronary artery disease, 618
for mitral stenosis, 321-32, 793
for myocardial infarction, 618
pulmonary, function tests in, 626
respiratory acidosis during, 433
for ventricular fibrillation, 444
- Sweating**, deficiency of, with impotence and orthostatic hypotension, 30-38
- Sympathectomy**
circulation in forearm after, 434
for essential hypertension, 131-40
for hypertensive headache, 138
intracasternal injection of fibrin after, 56
lumbar, for arteriosclerosis obliterans, 794
as vasodilator, 654-55
- Sympathetic nervous system**
blockade of, by TEAC, 288
and SKF 688A, 352-58
- Synergism**, antibiotic, 789
- Syphilis**
cardiovascular, 945
coronary insufficiency after penicillin for, 296
penicillin-treated, 267-75, 439
- Systole**
atrial, electrokymographic curve in, 98
electrical, 786
duration of, 149
and H-L interval, 589
membrane potential during, 173
ventricular
and H-L interval, 591
and intra-atrial pressure, 441
- Systolic force**, 391
and diuresis, 396
and respiration, 393-94
- T-1824**, 625
- T vector**, in neurovegetative imbalance, 148
- T wave**
after amyl nitrate, 251
in aneurysm with syphilitic aortic insufficiency, 271
changes in, 180
and exercise, 184, 187
in injury to sub-endocardial myocardium, 191
isoelectric end of, 379
merging of, with U wave, 379-86
notched, upright, 949
postextrasystolic changes in, 538-47
after procaine amide, 194
in pulmonary embolism, 772
- in syphilitic aortitis, penicillin-treated, 269
in syphilitic aortic insufficiency, 270
- Tachycardia**, 953
in hyperthyroidism, 224
paroxysmal vs. auricular flutter 296
electrocardiographic patterns in, 145
pronestyl for, 437
in pulmonary embolism, 771
reflex, in syndrome of orthostatic hypotension, anhidrosis and impotence, 37
due to SKF 688A, 355
ventricular, with retrograde conduction, 298
- Tachyphylaxis**, after Ro 2-2222, 64, 71
- Taussig-Bing malformation**, 936
- TEAC**, blockade of sympathetic ganglia by, 288
- Temperature**
and action potential, 174
atmospheric and congestive heart failure, 616
of blood, after tracheal steam inhalation, 667-68
of body, in hyperthyroidism, 223
of skin, 862-67
in angina pectoris, 144
and muscular circulation, 90
in myocardial infarction, 144
after Ro 2-2222, 64-65
of toe
and SKF 688A, 355, 357
- Tension**, as contraindication to sympathectomy, 139
- Terramycin**, and anticoagulant, 507-09
- Testosterone**, and estrogen-induced inhibition of coronary atherogenesis, 474
- Tetany**, hypokalemic alkalosis with, 952
- Tetraethylammonium**, 71
in ganglionic transmission, 287
ion, toxicity of, 902-10
- Tetralogy of Fallot**, 615, 934-35
aortic-pulmonary anastomosis in, 143
arterial oxygen saturation in, 744-46
and pulmonary stenosis, 427, 780
- Theophylline**
as diuretic agent, 438
sodium, and Mercuhydrin hypersensitivity, 247
- Thiamine**, and circulation, 627
- Thigh**, temperature of, 865
- Thiomersin**, 246
- Thiophanum**. See Ro 2-2222
- Thiourea**
alpha-naphthyl, pulmonary edema due to, 783
for angina pectoris, 225
for congestive heart failure, 225
- Thoracotomy**, exploratory, in patent ductus arteriosus, 122
- Thrombin**, inhibition of, by thromboplastin, 142
- Thromboangiitis obliterans**, therapy of, 648
- Thromboembolism**
dicumarol for, 489-513
in myocardial infarction, 1-6, 7-14, 260
Tromexan for, 489-513
- Thrombopenic purpura**, after digitoxin, 630
- Thrombophlebitis**, 499, 769
- Thromboplastin**, thrombin-inhibitory effect of, 142
- Thrombosis**
coronary
in diabetes mellitus, 946
second, 13
of internal carotid artery, 631, 632
intracardiac mural, 1-6
leukocyte-platelet, 631
in occlusion of aorta, 957
pre-existent, coronary embolism due to, 957
venous, 499
heparin-gelatin-dextrose for, 614
of leg, 12
- Thrombus**
coronary, initiation of, 735-37
in mitral stenosis, 323
mural
intracardiac, 1-6
in spontaneous cardiac rupture, 336
- Thyroid gland**
adenomata of, and I¹³¹, 233
and the heart, 222-36
- Thyroidectomy**, total
coronary arteriosclerosis after, 234
medical, 225-26
surgical, 225, 234
- Tincture of iodine**, 657
- Tissue**
animal, digitoxin in, 367-70
elastic, in arteriosclerotic lesion, 788
electrical resistance of, 28
impedance of, 419
respiration of, 437
- Tobacco**
angina after, 309
and blood flow through hand, 301
in obstructive vascular disease, 654
- Toe**, temperature of, 863-64, 866
and SKF 688A, 355, 357
- Tonsillitis**, hemolytic, myocarditis in, 154
- Toxemia of pregnancy**, constrictions of retinal arteries in, 601
- Toxicity**
of I¹³¹ for heart disease, 230-31
of tetraethyl ammonium ion, 902-10
- Trachea**, and vascular ring, 931-32
- Transfusion**
in heart disease, 789
intra-arterial
for hypotension, 625
for shock in myocardial infarction, 618

- Transposition**
 of pulmonary veins 294
 of great vessels, 936-37
- Traube oscillator**, 557
- Traube waves**, 553
- Trauma**, peripheral, due to cold, 469
- Tricuspid valve**
 atretic, 935
 Ebstein's anomaly of
 arterial oxygen saturation in, 745-46
 diagnosed during life, 779-80
 findings in, 779
 insufficiency of, in rheumatic heart disease, 706
 stenosis of, 310
- Tripeleminamine hydrochloride**, and Mercuhydrin, 246
- Tritium**, dietary cholesterol labeled with, 359-66
- Tromexan**
 for cardiac angina, 506-07
 vs. dicumarol, for thromboembolism, 489-513
 hemorrhage due to, 426, 502-06
 hypoprothrombinemia due to, 941
 pharmacology of, 294
- Truncus arteriosus**, 937-38
- Tuberculosis**, pulmonary, vascular changes in, 437
- Tumor**, mouse, 304
- Turtle**, injury potential of cardiac muscle of, 154
- Two-step test**
 Master, and postextrasystolic T-wave changes, 543
 modified double, electrocardiography in, 183-91
- Typhoid vaccine**, for vasodilatation, 651
- U wave**, 547
 merging of, with T wave, 379-86
- Ulcer**, duodenal, as contraindication to sympathectomy, 140
- Ultra-violet ray**, effect of, on plasma clotting, 141
- Urea**,
 in blood, in Mercuhydrin hypersensitivity, 245
 as diuretic agent, 438
- Urine**
 excretion of digitoxin in, 853-57
 urobilinogen in, after myocardial infarction, 925-29
- Urobilinogen**, urinary, after myocardial infarction, 925-29
- Urticaria**, and electrocardiographic changes simulating myocardial infarction, 784
- Vagotomy**
 and aortic occlusion, 58
 for elevated left auricular pressure, 55
 intracasternal injection of fibrin after, 56
- Valve**
 aortic
 homograft, 956
 rupture of, 304
- syphilitic insufficiency of, 269-74
 trauma to, 422
See also Mitral; Tricuspid
- Valvulotomy**, pulmonic, 956
- Varix**, esophageal, blood pressure in, 152
- Vasa vasorum**, of arteries, 463
- Vascular bed**, pulmonary, and hypertension, 122
- Vascular disease**
 in hypercholesterolemic rabbit, 465
 hypertensive, 299
 bulbar conjunctiva in, 301
 obstructive, 643-58
 peripheral
 drugs for, 520-28
 Hydergerin for, 308
- Vascular ring**, 931-32
- Vascularity of bone**, in osteitis deformans, 712-13
- Vasoconstriction**
 due to ephedrine, 307
 hemometakinesia, 652-53
 due to histamine, 307
 due to pitressin, 307
 due to protamine sulfate, 307
 in syndrome of orthostatic hypotension, anhidrosis and impotence, 36
- Vasodepressor material**, 290, 291
- Vasodilatation**
 due to dioxylene phosphate, 125
 hemometakinesia, 652-53
 peripheral, for acute pulmonary edema, 69, 70, 72
 postprandial, 654
 reflex, 654
 surgical, 654-55
- Vasoexcitor material**, 290
- Vasopressin**, 435, 791
 and interarterial coronary anastomosis, 838
 and spontaneous cardiac rupture, 341
- Vasopressor**, for syndrome of orthostatic hypotension, anhidrosis and impotence, 36
- Vasospasm**, drugs for, 520-28
- VDM**, 290, 291
- Vectorcardiography**, 942
 frontal, 785
 of isolated heart, 162-65
 in neurovegetative imbalance, 148
 and precordial lead, 299
 in right bundle branch block, 430
 spatial, origin of, 948
- Vegetative nervous system**, and Wolf - Parkinson - White syndrome, 297
- Vein**
 femoral, occlusion of, 281-84
 hepatic, in spinal anesthesia, 895, 898
 ligation of, for pulmonary embolism, 775
 lobar, occlusion of, 795
 pulmonary, 795
 anomalous drainage of, 801-15
 transposition of, 294
- renal, 951
 thrombus in, of leg, 12
- VEM**, 290
- Vena cava**, ligation of, for heart failure, 781, 782
- Ventilation**, pulmonary, in chronic lung disease, 879
- Ventricle**
 asynchronism, 579
 ballistic waves of, 79
 bundle branch in activation of, 168-69
 contraction of, 177-78
 ejection by, and J wave, 590-91
 failure, and renal excretion of digitoxin, 855-56
 fibrillation of, procaine amide for, 193-99
 filling of, 556
 of frog, effect of cardiac glycoside on, 172-81
 hypoplasia of, with congenital tricuspid atresia, 442
- left
 depth of, 828
 electrokymogram of, 792
 hypertrophy of, 147
 intracavity potential of, 149
 after intracasternal injection of fibrin, 53
 in mitral stenosis, 324
 after spinal anesthesia, 565, 569
 subendocardial infarction of, 299
 thickness of, 828
 mural thrombi in, 1-6, 12
 premature beat, in exercise, 187
 proximity potential of, 299
 rhythm of, after procaine amide, 194-99
- right
 electrocardiography in strain of, 149
 hypertrophy of, 146
 hypertrophy of, in congenital heart disease, 296, 941
 infarction of, 593-97
 residual volume of blood in, 302
 strain, 145
 septum of
 defect of, vs. patent ductus arteriosus, 115, 120
 excitatory process in, 161-71
- Ventricular-excitability curve**, 310
- Veratramine**, 628
- Veriloid**, for arterial hypertension, 624
- Vertigo**, postural, with anhidrosis and impotence, 30-38
- Virus**, of encephalomyocarditis, 847-49
- Viscera**, abdominal, inversion of with levocardia, 943
- Vision**, after digitoxin, 438
- Vitamin K**
 for hemorrhage due to anticoagulant, 505
 for hypoprothrombinemia, 941
 production of, by intestinal bacteria, 508
- Vitamin K₁**
 for hypoprothrombinemia, 142

- due to anticoagulant No. 63, 142
 - due to bishydroxycoumarin, 614
- Voltage**, membrane, and digitoxin, 176
- Vomiting**
 - after Ro 2-2222, 66, 71
 - after spinal anesthesia, 566
- Warming**, of body, for vasodilation, 527
- Water**
 - as diuretic agent, 438
 - excretion of
 - and blood pressure, 919-23
 - effect of mercurial diuresis on, 82-88
- after vasopressin, 435
 - intracellular, 631
 - metabolism of, in edema, 302
 - myocardial, after epinephrine, 153
- Wave**, Traube, 553
- Weakness**, as contraindication to sympathectomy, 139
- Weight**, of body, and electrocardiography, 749, 756-61
- Wenckebach period**, reversed, in ventricular tachycardia, 298
- Wezler-Boeger method**, cardiac output measured by, 153
- Wilson**, Frank Norman, 641-42
- Wilson's system of unipolar leads**, 430
- Wolff-Parkinson-White syndrome**, 297, 622
 - familial type of, 621
 - myocardial infarction in, 429
 - rheumatic mitral stenosis with, 949
- Xanthine**, as diuretic agent, 438
- Yawning**
 - after Ro 2-2222, 66, 71
 - after spinal anesthesia, 566
- Zeo-karb** 225, 304
- Zero point**, of vector-loop, 299
- Zygoma**, temperature, 865

